

ОБЪЕДИНЕННЫЙ  
ИНСТИТУТ  
ЯДЕРНЫХ  
ИССЛЕДОВАНИЙ  
ДУБНА



E15 - 9658  
*SU7706564*

V.S.Butsev, D.Chultem, Yu.K.Gavrilov,  
Dz.Ganzorig, Yu.V.Norseev, V.Presperin

*A34*

**NEGATIVE PION CAPTURE  
IN CHEMICAL COMPOUNDS**

**1976**

## RANGE OF JINR PUBLICATIONS

The preprints and communications of the Joint Institute for Nuclear Research (JINR) are considered to be original publications. They are published in accordance with Article 4 of the JINR Statut. Difference between the preprints and communications consists in that text of the preprint will be published in future in one of scientific journals or in aperiodic collections.

### Indexing

The preprints, communications and deposited publications of the JINR have a single numbering (four last figures of the index).

The first sign of the index - a letter, denotes the language the paper is published in:

"P" - published in Russian;

"E" - published in English;

"D" - published both in Russian and in English.

The figure following the letter denotes the subject category of the given publication. List of subject categories of the JINR publications is sent periodically to the recipients.

Above-described index is placed in the right upper corner of the cover and on the title-page of each publication.

### References

In bibliographical references to the JINR preprints and communications we recommend to indicate: author's initials and name, an abbreviation of the name of the institute, index, place and year of publication.

An example of bibliographical reference:

*I.Ivanov. JINR, P2-4985, Dubna, 1971.*

**E15 - 9658**

**V.S.Butsev, D.Chaltem, Yu.K.Gavrilov,  
Dz.Ganzorig, Yu.V.Norseev, V.Presperin**

**NEGATIVE PION CAPTURE  
IN CHEMICAL COMPOUNDS**

*Submitted to "Physics Letters"*

In 1947 Fermi and Teller<sup>/1/</sup> predicted that the mesic atom formation in chemical compounds should be proportional to  $Z$  of individual constituents. This thesis known as the " $Z$ -law" has been experimentally verified for a number of compounds. Thus, for muonic atoms the time distribution of decay electrons and X-ray intensities have been analysed. As a result of these investigations the main characteristics of chemical effects have been understood<sup>/2,3/</sup>.

As to pionic atoms, a great deal of all the experimental data reported up-to now relates to hydrogenous compounds for which mesochemical effects are usually studied by a very special reaction of charge exchange. Despite its long history<sup>/4/</sup> and great importance this class of compounds seems to be somewhat one-sided for establishing the general picture of "pionic chemistry". Experimental data for compounds of heavier elements are rather poor.

Due to strong pion-nuclear interaction neither the pion decay on the atomic orbits nor electromagnetic transitions between low-lying levels take place in pionic atoms. For this reason only transitions between high-lying levels have been used in all the cases with heavy-atom compounds<sup>/5-7/</sup>.

Because of the difference in the nature of pions and muons, and in their interactions with matter suggestion of the full analogy between the pionic and muonic chemistries without the systematic experimental study should not be quite rightful.

In this work we have studied the alkaline iodides using a new technique for mesochemistry, namely, the induced radioactivity method of pion capture identification. This method is based on the following property of negative pions: in contrast to muons they have equal probabilities of atomic and nuclear capture. As the ionic bound in these compounds is almost identical, the probability of mesic atom formation should depend only on the atomic number, i.e., the charge of the nucleus.

The targets of LiJ, NaJ, KJ, RbJ and CsJ powders were activated by stopped negative pions of the bio-medical beam of the Dubna synchrocyclotron. Irradiation, cooling and counting times for all the targets were the same and equal to 50 min, 5 min and 40 min, respectively, with an accuracy of 10 seconds. Each target contained  $10.000 \pm 0.001$  gram of iodine.

To avoid possible complications in the interpretation of the results crystallization water was previously removed from target material.

The relative probabilities of pion capture in iodine for compounds under investigation were extracted from the 1293.5 keV gamma ray intensity of  $^{116m}\text{Sb}$  ( $J^\pi = 8^-, T_{1/2} = 60$  min), high-spin isomer produced in the  $^{127}\text{J}(\pi^-, lp 10n)$  reaction.

For monitoring the thermalized pion flux fine  $\text{Bi}_2\text{O}_3$  powder ( $5.000 \pm 0.001$  g) was uniformly mixed with target powders. The intensities of 899 keV and 912 keV gamma-rays from  $^{204\text{m}}\text{Pb}$  ( $J^\pi = 9^-, T_{1/2} = 66$  min), high-spin isomer produced in the  $^{209}\text{Bi}(\pi^-, 5n)$  reaction were used for this purpose.

Due to a large value of  $^{116\text{m}}\text{Sb}$  and  $^{204\text{m}}\text{Pb}$  gamma-ray energies their self-absorption in the targets may be neglected. All the measurements were performed with the same spectrometer under entirely identical conditions.


Figure 1 shows the parts of gamma-ray spectra in which the above-mentioned lines are located.

Figure 2 shows  $R$  and  $W_{\text{exp}}$  experimental values, where  $R = S_t/S_m$  is the ratio of 1293.5 keV photopeak area to the 899 and/or 912 keV photopeak areas;  $W_{\text{exp}}$  is the same ratio but corrected by the number of  $\pi^-$  stops in the target and monitor powders. To obtain this correction the photopeak area is divided by the corresponding stopping power  $\Delta_i$ .

On the assumption that the stopping power for chemical compounds is an additive functions and for an individual chemical element it is proportional to the electron density, the following relationship can be written:


$$W_{\text{exp}} \propto R \frac{1}{1 + z_1/z_2}, \quad (1)$$

where  $z_2$  is the atomic number of iodine,  $z_1$  is the atomic number of alkaline metal. Since target masses and time intervals were known with high accuracy the presented errors are only statistical.



**Fig. 1.** Radioactive decay gammas from targets irradiated with stopped pions (1 MeV region spectra).

Assuming the validity of some generalized "Z-law":  $P_i \sim Z_i^n$  we obtain the theoretical dependence of the pionic iodine formation probability on the atomic number of alkaline metal in the following form:



**Fig. 2.** Extracted experimental data versus the atomic number of the iodine chemical partner. o and Δ -target-to-monitor photo-peak ratios (R): 899/1293 and 912/1293, × .probability of pionic iodine formation ( $W_{exp}$ ). Solid line is the prediction of the "Z-law". All the values are normalized to the lithium-iodine ones.



$$W_{th} = \frac{P_2}{P_1 + P_2} \propto \frac{1}{1 + (z_1/z_2)^n} \quad (2)$$

If  $n=1$ , it follows from (1) and (2)

$$R = \frac{S_t}{S_m} \propto \frac{W_{exp}}{W_{th}} = \text{const}$$

Thus, we have a very satisfactory agreement of experimental results with the predictions of the "Z-law". Naturally, the extrapolation of this conclusion to other types of compounds should be incorrect.

Small disagreement between  $W_{exp}$  and  $W_{th}$  values may be connected with the inexact additivity of the stopping powers for chemical compounds and inexact proportionality of the stopping powers to the atomic number of the moderator at the very end of the pion range:  $\Delta_i \propto (Z_i / E) \ln (E/aZ_i)$ ; where  $a \approx 1$  keV.

On the other hand, from the fitting of the  $W_{th}$  function to the experimental data we have obtained  $n = 1.1$ ; however, it is not known what physical origin of this result is.

#### ACKNOWLEDGEMENTS

The authors are indebted to Professors V.P.Dzhelepov, L.I.Lapidus and S.M.Polikanov for their encouragement and interest in this research. Thanks are due to V.G.Zinov, V.S.Evseev, I.A.Yutlandov and V.Pokrovsky for illuminating discussions.

#### REFERENCES

1. E.Fermi, E.Teller. Phys.Rev., 72, 399 (1947).

2. L.I.Ponomarev. Ann.Rev.Nucl.Sci., 23, 395 (1973).
3. P.Vogel, P.K.Haff, V.Akylas, A.Winther. Nucl. Phys., A254, 445 (1975); M.Y.Au-Yang, M L.Cohen. Phys.Rev., 174, 468 (1968).
4. W.K.H.Panofsky, R.L.Aamodt, J.Hadley. Phys.Rev., 81, 565 (1951); S.S.Gershtein, V.I.Petrukhin, L.I.Ponomarev, Yu.D.Prokoshkin. Uspekhi Fiz. Nauk, 97, 3 (1969).
5. M.B.Stearns, M.Stearns. Phys.Rev., 105, 1573 (1956).
6. L.Tauscher, G.Backenstoss, S.Charaiambus, H.Daniel, H.Koch, G.Poelz, H.Schmitt. Phys.Lett., 27A, 581 (1968).
7. G.A.Grin, R.Kunselman. Phys.Lett., 31B, 116 (1970).

Received by Publishing Department  
on March 29, 1976.

## WILL YOU FILL BLANK SPACES IN YOUR LIBRARY?

You can receive by post the books listed below. Prices - in US \$,  
including the packing and registered postage

D10-6142	Proceedings of the International Symposium on Data Handling of Bubble and Spark Chambers. Dubna, 1971.	564 pg	9.96
D13-6210	Proceedings of the Vth International Symposium on Nuclear Electronics. Warsaw, 1971.	372 pg	6.36
D1-6349	Proceedings of the 14th International Conference on High Energy Physics and Nuclear Structure. Dubna, 1971.	670 pg	9.92
D-6840	Proceedings of the Second International Symposium on High Energy and Elementary Particle Physics (Strbske Pleso, CSSR, 1972).	398 pg	6.78
D2-7161	Proceedings of the III International Seminar on Non-Local Quantum Field Theory. Alushta, 1973.	280 pg	5.00
D1,2-7411	Deep Inelastic and Many-Body Processes. Dubna, 1973.	507 pg	8.76
D13-7616	Proceedings of the VII International Symposium on Nuclear Electronics. Budapest, 1973.	372 pg	5.62
P1,2-7642	Proceedings of the International School of Young Physicists on High Energy Physics. Gomel, 1973.	623 pg	10.53
D10-7707	Meeting on Programming and Mathematical Methods for Solving the Physical Problems. Dubna, 1973.	564 pg	8.23
D1,2-7781	Proceedings of the III International Symposium on High Energy and Elementary Particle Physics. Sinaia, Romania, 1973.	478 pg	7.29
D3-7991	Proceedings of the II International School on Neutron Physics. Alushta, 1974.	554 pg	4.35
D1,2-8405	Proceedings of the IV International Symposium on High Energy and Elementary Particle Physics. Varna, 1974.	376 pg	3.89
D10,11-8450	International School on Use of Computers in Nuclear Research. Tashkent, 1974.	465 pg	4.52

P1,2-8529	The International School-Seminar of Young Scientists. Actual Problems of Elementary Particle Physics. Sochi, 1974.	582 pg	4.70
D6-8846	XIV Symposium on Nuclear Spectroscopy and Nuclear Theory. Dubna, 1975:	180 pg	3.70
E2-9086	Proceedings of the 1975 JINR-CERN School of Physics. Alushta, 1975.	462 pg	16.00
D13-9164	Proceedings of the International Meeting on Proportional and Drift Chambers. Dubna, 1975.	344 pg	10.00
D1,2-9224	Proceedings of the IV International Seminar on High Energy Physics Problems. Dubna, 1975.	307 pg	4.80
	Proceedings of the VI European Conference on Controlled Fusion and Plasma Physics. Moscow, 1973, v. I.	666 pg	21.00
	Proceedings of the VI European Conference on Controlled Fusion and Plasma Physics. Moscow, 1973, v. II.	466 pg	15.00
D13-9287	Proceedings of the VIII International Symposium on Nuclear Electronics. Dubna, 1975	469 pg.	6.6
D1,2-9342	Proceedings of the V International Symposium on High Energy and Elementary Particle Physics. Warsaw, 1975.	339 pg.	6.6.

Orders for the above-mentioned books can be sent at the address:

Publishing Department, JINR  
 Head Post Office, P.O. Box 79  
 101000 Moscow, USSR

**SUBJECT CATEGORIES  
OF THE JINR PUBLICATIONS**

<b>Index</b>	<b>Subject</b>
1.	High energy experimental physics
2.	High energy theoretical physics
3.	Low energy experimental physics
4.	Low energy theoretical physics
5.	Mathematics
6.	Nuclear spectroscopy and radiochemistry
7.	Heavy ion physics
8.	Cryogenics
9.	Accelerators
10.	Automatization of data processing
11.	Computing mathematics and technique
12.	Chemistry
13.	Experimental techniques and methods
14.	Solid state physics. Liquids
15.	Experimental physics of nuclear reactions at low energies
16.	Health physics. Shieldings
17.	Theory of condensed matter



## Conditions of Exchange

The preprints and communications of the Joint Institute for Nuclear Research are distributed free of charge on the mutual exchange basis to the universities, institutes, libraries, scientific groups of more than 50 countries.

Besides the regular distribution on the exchange basis, the Publishing Department fulfils annually about 4000 individual requests for our preprints and communications. The index of our publication must be obligatory indicated in such requests.

## Addresses

Letters on all the questions concerning the exchange of publications as well as requests for individual publications are to be sent at the address:

*Publishing Department  
Joint Institute for  
Nuclear Research  
Head Post Office,  
P. O. Box 79  
101000 Moscow,  
U.S.S.R.*

We kindly ask to send all the publications on the exchange basis and also free of charge subscriptions to scientific journals at the address:

*Scientific-Technical Library  
Joint Institute for  
Nuclear Research  
Head Post Office  
P. O. Box 79  
101000 Moscow,  
U.S.S.R.*

Издательский отдел Объединенного института ядерных исследований.  
Заказ 21311. Тираж 470. Уч.-изд. листов 0,5.

Редактор Э.В.Ивашкевич.  
Корректор Р.Д.Фомина

Подписано к печати 22.04.76 г.

Перевод Н.П. Надеждиной