

Energy Systems Environmental Restoration Program
ORNL Environmental Restoration Program

**WAG 2 Remedial Investigation and Site Investigation
Site-Specific Work Plan/Health and Safety Checklist
for the Sediment Transport Modeling Task**

V. L. Holt
L. A. Baron

Environmental Restoration Program
P.O. Box 2003
Oak Ridge, Tennessee 37831-7298

Date Issued—May 1994

Prepared by
Environmental Sciences Division
Oak Ridge National Laboratory
Oak Ridge, Tennessee

Prepared for
U.S. Department of Energy
Office of Environmental Restoration and Waste Management
under budget and reporting code EW 20

Environmental Restoration and Waste Management Programs
Oak Ridge K-25 Site
Oak Ridge, Tennessee 37831-7101
managed by
MARTIN MARIETTA ENERGY SYSTEMS, INC.
for the
U.S. DEPARTMENT OF ENERGY
under contract DE-AC05-84OR21400

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

**WAG 2 REMEDIAL INVESTIGATION AND SITE INVESTIGATION
SITE-SPECIFIC WORK PLAN/HEALTH AND SAFETY CHECKLIST
FOR THE SEDIMENT TRANSPORT MODELING TASK**

APPROVALS

WAG 2 RI&SI Project Safety and Health
Officer

Virginia L. Platt 5/5/94
Date

WAG 2 RI&SI Project Manager

Stephen E. Huber 5/5/94
Date

ORNL Industrial Safety Representative

EA Ford 5/5/94
E. R. Baul 5/5/94
Date

ORNL Industrial Hygiene Representative

Greg Powell 5/4/94
Date

ORNL Fire Protection Representative

Bob Felley 5/4/94
Date

ORNL Office of Laboratory Protection
Representative

J. S. Cipriani 5/4/94
Date

ORNL Office of Radiation Protection
Representative

J. S. Cipriani 5-4-94
Date

ORNL HAZWOPER Program Coordinator

Ann W. Saulsbury 5/4/94
Date

ORNL ER ES&H Manager

Charly Clark 5/4/94
Date

ORNL ER Program Manager, DOE
Environmental Restoration Division

John Shuman 5/6/94
Date

CONTENTS

ACRONYMS	v
1. INTRODUCTION	1
2. PRE-ENTRY HEALTH AND SAFETY BRIEFING	2
3. PROJECT AND SITE DESCRIPTION	3
3.1 PROJECT OBJECTIVES	3
3.2 TASK TO BE PERFORMED	3
3.3 HISTORY AND OPERATION OF THE SITE	3
3.4 SITE DESCRIPTION	3
4. PROJECT ORGANIZATION	5
5. SITE TASK HAZARD EVALUATION	7
5.1 DESCRIPTION OF TASK TO BE PERFORMED	7
5.1.1 Task Description (Collection of Suspended Sediment Samples)	7
5.1.2 Site Control	9
5.1.3 Administrative Controls (Required Permits, Training, etc.)	9
5.1.4 Sanitation	10
5.1.5 Safety Equipment	10
5.2 SITE-SPECIFIC HAZARDS AND CONTROLS	10
5.2.1 Physical Hazards/Agents	10
5.2.2 Construction Hazards	11
5.2.3 Chemical Hazards	12
5.2.4 Ionizing Radiation Hazards	12
5.2.5 Nonionizing Radiation Hazards	12
5.2.6 Biological/Vector Hazards	13
6. MONITORING REQUIREMENTS	14
6.1 DIRECT READING INSTRUMENTS	14
6.2 PERSONAL MONITORING	14
7. DECONTAMINATION	15
8. PERSONAL PROTECTIVE EQUIPMENT	16
9. MEDICAL SURVEILLANCE	17
9.1 PHYSICAL EXAMINATION	17
9.2 PERSONNEL SAMPLING/BIOLOGICAL MONITORING	17
10. SITE PERSONNEL AND CERTIFICATION	18
Appendix A. EVACUATION ROUTES AND ASSEMBLY POINTS	27
Appendix B. WAG 2 CONTAMINANT LIST	31

ACRONYMS

ACGIH	American Council of Governmental Industrial Hygienists
CRZ	contamination reduction zone
ESD	Environmental Sciences Division
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
HP	Health Physics
HPC	HAZWOPER Program Coordinator
HSC	Health and Safety Checklist
IH	Industrial Hygiene
ORNL	Oak Ridge National Laboratory
OSHA	Occupational Safety and Health Administration
PFD	personal flotation device
PPE	personal protective equipment
PVC	polyvinyl chloride
RI	remedial investigation
SARA	Superfund Amendments and Reauthorization Act
SI	Site Investigation
SOP	Standard Operating Procedure
SSHO	Site Safety and Health Officer
TLD	thermoluminescent dosimeter
WAG	Waste Area Grouping
WBG	wet-bulb globe temperature
WP	Work Plan

1. INTRODUCTION

This site-specific Work Plan/Health and Safety Checklist (WP/HSC) is a supplement to the general health and safety plan (HASP) for Waste Area Grouping (WAG) 2 remedial investigation and site investigation (WAG 2 RI&SI) activities [*Health and Safety Plan for the Remedial Investigation and Site Investigation of Waste Area Grouping 2 at the Oak Ridge National Laboratory, Oak Ridge, Tennessee* (ORNL/ER-169)] and provides specific details and requirements for the WAG 2 RI&SI Sediment Transport Modeling Task. This WP/HSC identifies specific site operations, site hazards, and any recommendations by Oak Ridge National Laboratory (ORNL) health and safety organizations [i.e., Industrial Hygiene (IH), Health Physics (HP), and/or Industrial Safety] that would contribute to the safe completion of the WAG 2 RI&SI.

Together, the general HASP for the WAG 2 RI&SI (ORNL/ER-169) and the completed site-specific WP/HSC meet the health and safety planning requirements specified by 29 CFR 1910.120 and the ORNL Hazardous Waste Operations and Emergency Response (HAZWOPER) Program Manual. In addition to the health and safety information provided in the general HASP for the WAG 2 RI&SI, details concerning the site-specific task are elaborated in this site-specific WP/HSC, and both documents, as well as all pertinent procedures referenced therein, will be reviewed by all field personnel prior to beginning operations.

2. PRE-ENTRY HEALTH AND SAFETY BRIEFING

The purpose of the pre-entry health and safety briefing is to inform all workers of (1) any and all potential safety and health hazards they may encounter while working on the task identified in the WP/HSC and (2) site-specific emergency response measures. How the work will be accomplished, who should be notified in case of an emergency, and any and all questions will be addressed by the Site Safety and Health Officer (SSHO) at this time. The SSHO will confirm with the Technical Resources and Training Section that ORNL personnel accessing the site areas have received the health and safety training that qualifies them to work at this site. (ORNL special access badges may be used as proof of training.) Each potential field person will be required to sign and date a form or designated section in the field logbook stating that he or she has received a pre-entry briefing and has reviewed both the WAG 2 RI&SI general HASP and this site-specific WP/HSC.

3. PROJECT AND SITE DESCRIPTION

3.1 PROJECT OBJECTIVES

The main project objectives of the Sediment Transport Modeling Task are: (1) to quantify the current transport of contaminated sediment in the White Oak Creek watershed; (2) to develop a computer model to predict contaminant release during storms that produce heavy flow rates and to predict the impact of potential remedial actions in the White Oak Creek watershed on the erosion, transport, and deposition of contaminated sediment; and (3) to provide baseline data to evaluate the potential effectiveness of future remedial actions to control contaminated sediment releases.

3.2 TASK TO BE PERFORMED

Only the field work associated with this project (item 1 above) falls under the scope of the ORNL HAZWOPER Program. The collection of the both hydrologic and mobile sediment field data will be covered by this plan. Procedures ER-WAG2-SOP-3103, ER-WAG2-SOP-3108, and ER-WAG2-SOP-4012 give an overview of and step-by-step method for the collection of field data.

3.3 HISTORY AND OPERATION OF THE SITE

WAG 2 consist of White Oak Creek and its tributaries downstream of the ORNL site, White Oak Lake, White Oak Creek embayment, and the associated floodplain and subsurface environment. The White Oak Creek system is the surface drainage for the ORNL WAGs and has been exposed to a diversity of contaminants from operations and waste disposal activities.

3.4 SITE DESCRIPTION

The sampling locations for the Sediment Transport Modeling Task are shown in Fig. 1. The topography consists of floodplains and waterways.




Fig. 1. Sampling locations for the WAG 2 Sediment Transport Modeling Task.

4. PROJECT ORGANIZATION

This work will be performed by the WAG 2 RI&SI Program team. ORNL IH, Industrial Safety, and Radiation Protection will provide oversight for this project. Figure 2 illustrates the chain of command for health and safety issues.

Key personnel and their project roles/responsibilities are listed in Table 1.

Table 1. Key personnel and roles and responsibilities

Function	Name	Telephone no.
WAG 2 RI&SI Project Manager	Steve Herbes, Environmental Sciences Division (ESD)	4-7336
Environmental Restoration Program Environmental, Safety, and Health Manager	Charles Clark	4-8268
Field Team Leader	Telena Moore Benali Burgoa	6-1408 4-6512
Alternate Field Team Leader	Brent Zeigler	1-5240
SSHO	Virgina Holt	1-5240
Alternate SSHO	Telena Moore Brent Zeigler Benali Burgoa	6-1408 1-5240 4-6512
ESD HP contact	George Houser	6-1408
ORNL Radiation Protection	Willie Hayes	4-6542
ORNL IH	Ray Barham	4-7307
ORNL HAZWOPER Program Coordinator	Ann Saulsbury	6-5064
ORNL Safety	Ernie Ford	1-4373
ORNL Fire Department	Bob Atchley	4-6278




Fig. 2. Chain of command for reporting health and safety issues.

5. SITE TASK HAZARD EVALUATION

5.1 DESCRIPTION OF TASK TO BE PERFORMED

This section, which has been completed with the Project Manager, based on knowledge, site history, site operations, and any and all potential hazards that might affect workers' health and safety, describes the tasks to be performed and the associated level of personal protective equipment (PPE) required for those tasks. Specific control measures for the hazards indicated in this section and procedures that will be used in the completion of this task are identified in Sect. 5.2.

5.1.1 Task Description (Collection of Suspended Sediment Samples)

Intrusive Nonintrusive

Description. The collection of suspended sediment samples will be accomplished according to ER-WAG2-SOP-3103 and ER-WAG2-SOP-3108. Sampling will be conducted whenever water levels in the White Oak Creek embayment reach an annual flood level. These samples will be collected at locations throughout WAG 2. Sampling locations are shown in Fig. 1. When wading is necessary, the appropriate procedures shall be followed.

Checklist summary of site-specific hazards. For the specific hazards listed in this section, a check mark (✓) indicates hazards that are intrinsic to the site locale itself. An "X" indicates hazards associated with task performance and/or the equipment and materials that may be used to accomplish the task.

Physical Hazards/Agents

- | | | |
|--|---|---|
| <input checked="" type="checkbox"/> Heat Stress | <input checked="" type="checkbox"/> Cold Stress | <input type="checkbox"/> Noise |
| <input type="checkbox"/> Confined Space | <input type="checkbox"/> Enclosed Space | <input checked="" type="checkbox"/> Heavy Lifting |
| <input checked="" type="checkbox"/> Tripping/Falling | <input type="checkbox"/> Electrical | <input type="checkbox"/> High Pressure Water |
| <input type="checkbox"/> Oxygen Deficient | <input type="checkbox"/> Explosive/Flammable | <input type="checkbox"/> Vibration |
| <input type="checkbox"/> Asbestos | <input type="checkbox"/> Underground | <input type="checkbox"/> Overhead |
| <input checked="" type="checkbox"/> Water | <input type="checkbox"/> Other: _____ | <input type="checkbox"/> Other: <u>Flash flood conditions</u> |

Construction Hazards

- | | | |
|-------------------------------------|---------------------------------------|--|
| <input type="checkbox"/> Trenching | <input type="checkbox"/> Excavating | <input type="checkbox"/> Heavy Equipment |
| <input type="checkbox"/> Demolition | <input type="checkbox"/> High Work | <input type="checkbox"/> Welding/Cutting |
| <input type="checkbox"/> Ladders | <input type="checkbox"/> Drilling | <input type="checkbox"/> Overhead |
| <input type="checkbox"/> Overhead | <input type="checkbox"/> Other: _____ | <input type="checkbox"/> Other: _____ |

Chemical Hazards

- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Organic Chemical | <input checked="" type="checkbox"/> Inorganic Chemical | <input type="checkbox"/> Carcinogen |
| <input type="checkbox"/> Corrosive | <input type="checkbox"/> Reactive | <input type="checkbox"/> OSHA-Specific Substances |
| <input type="checkbox"/> Mutagen | <input type="checkbox"/> Teratogen | <input checked="" type="checkbox"/> Other: <u>Heavy Metals</u> |

Ionizing Radiation Hazards

Internal Exposure External Exposure

Nonionizing Radiation Hazards

UV Radio Frequency Microwave
 Laser

Biological/Vector Hazards

Wildlife Plants Medical Waste
 Bacterial Parasites Other: _____

Initial Level of Personal Protective Equipment

Level of Protection: A C Modified (+)
 B D

Respirator: SCBA Full Face ½-Face Resp.
Cartridge: _____

Protective Clothing: Encapsulating Suit Tyvek
 Saranex Splash Suit
 C-zone Company Clothing (khakis)
 Other: Rain gear

Head/eye/ear: Hard Hat Safety Glasses Goggles
 Splash Shield Ear Plugs Other: _____

Gloves: Nitrile Neoprene PVC
 Latex Vinyl Leather
 Other: _____

Footwear: Steel-Toed Leather Chemical Over-Boots
 Steel-Toed Rubber Other: Waders

Additional comments. All sampling efforts will be conducted during storm conditions, with the possibility of flash flooding. All personnel shall wear personal floatation devices (PFDs) in and around the streams. The appropriate procedures shall be followed when wading is necessary. The buddy system is to be used at all times and each team member should be cognizant of the hazards associated with the storm, the stream, flash flood conditions and performing these task at night. A radio, PFDs, and a lifeline are required for each sampling team.

5.1.2 Site Control

Site work zones are required in order to reduce the accidental spread of hazardous substances from contaminated areas to clean areas. Identification of work zones will provide control of operations and flow of personnel. The HAZWOPER Program Coordinator (HPC) will provide signs for posting HAZWOPER requirements at the site. The HP technician will determine radiological postings. Should additional barriers (rope, tape) or signs be required, HP, IH, and Industrial Safety will be consulted. Personnel accessing the zones must meet access requirements as stated in this plan and posted at the entrance of the zones. The SSO is responsible for ensuring all workers and visitors meet site access requirements. Site access requirements are identified in Sect. 8 of the WAG 2 RI&SI HASP. Task-specific training requirements are identified under "Administrative Controls" in Sect. 5.1.1 of this site-specific WP/HSC. Section 10 of this site-specific WP/HSC is a record of the qualifications of personnel involved in this specific task.

Use of the "buddy system" is required for this project. All workers will have a partner to work with. To ensure worker safety, personnel will (1) maintain internal communication, (2) remain within a line of sight with other workers, and (3) conduct work-party monitoring. The buddy system will be implemented at the contamination reduction zone (CRZ). A two-way radio will be maintained in the support zone to ensure communication with the Laboratory Shift Superintendent and emergency, safety, and health support personnel.

The items below must be completed to ensure that required site controls are identified.

Site posted information/notification required? Yes No N/A

Site guard required? Yes No N/A

Access control required? Yes No

Entry/exit logs required? Yes No

Escape routing/posting required? Yes No Appendix A shows the sampling locations and assembly point.

5.1.3 Administrative Controls (Required Permits, Training, etc.)

Training requirements for this project are:

- 24-Hour HAZWOPER [Superfund Amendments and Reauthorization Act (SARA)/ Occupational Safety and Health Administration (OSHA)]
- Radiation Worker II

- Access-road training
- Project-specific Standard Operating Procedure (SOP) training

5.1.4 Sanitation

Task(s): All tasks

Potable water required? Yes ___ No X

Nonpotable water used? Yes ___ No X

Eating, drinking, and use of tobacco products permitted? Yes ___ No X

Location: Breaks: Environmental Sciences Division (ESD) buildings 1505 and 1506.

Toilet facilities required? Yes X No ___

Location and number: ESD buildings 1505 and 1506; five toilet facilities.

Washing facilities required? Yes X No ___

Location: ESD buildings 1505 and 1506; five facilities.

Change rooms required? Yes X No ___

Specify: ESD buildings 1505 and 1504, two facilities. It is recommended that all personnel shower at the change rooms at the end of each day, prior to departing for home.

5.1.5 Safety Equipment

A radio, PFDs, and a lifeline are required for each sampling team.

5.2 SITE-SPECIFIC HAZARDS AND CONTROLS

This section provides specific details and control measures for each general hazard identified in Sect. 5.1.

5.2.1 Physical Hazards/Agents

Fire/Explosion: N/A

Confined Space Entry: N/A

Asbestos: N/A

Electrical Hazards: N/A

Temperature:

Task(s): All tasks

Temperature extremes (hot and cold)? Yes X No ___

Average daily high temperature (during work shift): 70-90°F during the summer

Average daily low temperature (during work shift): 35-55°F during the winter

Wet-bulb globe temperature (WBGT) will be obtained prior to daily activities as necessary. When WBGT is >80°F (26.7°C), American Council of Governmental Industrial Hygienists (ACGIH) work-rest regimen guidelines should be followed.

Work load:

Light

Moderate

Heavy

Controls: The SSHO, with help from ORNL IH, will establish the appropriate work/rest regimen with the ACGIH Threshold Limit Values booklet. See Sect. 3.3 of the WAG 2 HASP for controls of heat stress and cold stress.

Cooling/heating equipment needed: None.

Noise Hazards: None

Underground Hazards: N/A

Overhead Hazards: N/A

Machinery Hazards: N/A

Water Hazards:

Task(s): Collection of suspended sediment samples

Are water hazards present or involved in site tasks? Yes No

Additional comments and controls: All personnel will wear PFDs as well as chest waders. No one will be allowed to wade out to a depth greater than up to the his or her naval. PFDs are to be worn under the straps of the waders. The buddy system is to be used during all sampling activities associated with this project. Each sampling team will be equipped with a lifeline to be used if someone falls in the water.

Other Physical Hazards:

Task(s): All tasks

Hazard: Slips, trips, falls, and wading in streams

Additional comments and controls: Use of the buddy system, limits on how deep to wade and visual observations of each sampling location will help minimize these hazards.

5.2.2 Construction Hazards

There are no construction hazards associated with this project.

5.2.3 Chemical Hazards

Chemicals to be brought on site: None

Are Material Safety Data Sheets assembled for chemicals to be brought on site?

Yes ___ No ___ N/A X

Other chemical hazards known or suspected to exist on site: The information indicated below must be provided for each chemical hazard known or suspected to exist on site. The contaminants should be identified by the Project Manager, and the associated information required for each contaminant should be provided by the SSHO.

Contaminant: See the WAG 2 contaminant list (Appendix B).

5.2.4 Ionizing Radiation Hazards

Isotope: See the WAG 2 contaminant list (Appendix B).

Ionizing radiation present? Yes X No ___ (alpha/beta/gamma)

Radiation work permit required: Yes ___ No X

Health Physics contacted: Yes X No ___

Health Physics coverage: Yes ___ No X

Protective clothing required: Yes X No ___

Additional comments and controls: The ESD HP will be responsible for HP oversight of this project, and any problems or concerns associated with radiation protection shall be brought to his or her and the SSHO's attention.

5.2.5 Nonionizing Radiation Hazards

High-voltage (>100 kV) electrical transmission lines nearby? Yes ___ No X

Radio frequency radiation sources (AM and/or FM broadcast towers, radio frequency sealers) nearby? Yes ___ No X

Microwave sources in use on site? Yes ___ No X

Lasers in use nearby? Yes ___ No X

Are workers potentially exposed to sunlight (ultraviolet radiation)? Yes X No ___

Additional comments and controls: Personnel shall wear long-sleeved clothing and/or use a sunblock on exposed skin.

Are ultrasound sources in use on site? Yes ___ No X

5.2.6 Biological/Vector Hazards

Task(s): All tasks

Hazard: Snakes

Comments and controls: Workers should be aware of where they are stepping and should not reach under objects.

Task(s): All tasks

Hazard: Parasites

Comments and controls: All personnel should apply insect repellent before going into the field and should perform a visual inspection at the end of the day.

Task(s): All tasks

Hazard: Poison ivy and poison oak

Comments and controls: Workers should be briefed on how to recognize these plants and should be alert to what they touch.

6. MONITORING REQUIREMENTS

6.1 DIRECT READING INSTRUMENTS

Direct reading instrument monitoring requirements are identified in Table 2.

Table 2. Direct reading instrument monitoring requirements

Instrument	Task(s)	Monitoring frequency	Action level
Lower explosive limit meter			
O ₂ meter			
Colorimetric indicator tubes			
Photoionization detector			
Flame ionization detector			
Alpha meter			
Beta/gamma meter	All tasks	Prior to exiting sampling locations	Readings above background
Area radiation monitors			
Noise meter			
Other (specify)			

6.2 PERSONAL MONITORING

Personal monitoring requirements are identified in Table 3.

Table 3. Personal monitoring requirements

Monitoring type	Task(s)	Monitoring frequency	Action level
Whole-body dosimetry	All tasks	Continuous	20 mR/day
Whole-body count	All tasks	Annual	In accordance with Internal Dosimetry SOP 03-60-16

Instruments used by the IH representative will be calibrated and maintained in accordance with IH SOPs. Instruments used by the Office of Radiation Protection are calibrated and source-checked in accordance with established HP procedures.

7. DECONTAMINATION

The purpose of decontamination is to prevent contaminants that may be present on protective clothing and equipment from coming into contact with personnel as they unsuit. Also, decontamination protects workers from hazardous substances that may contaminate and eventually permeate the PPE used on site, and it protects personnel by minimizing the transfer of harmful materials into clean areas. Combining decontamination with the correct sequential method of removing PPE will prevent exposure to personnel leaving the work areas and will prevent off-site migration of contaminants. Generally, decontamination is accomplished by starting with the most heavily contaminated item and progressing to the least contaminated item.

Personnel will remove any disposable PPE, in the order listed in the WAG 2 RI&SI HASP, Sect. 6.2, and dispose of it in provided containers before leaving the CRZ. The Radiation Protection representative will assist the SSHO in establishing stations and sequence for doffing of PPE. Monitoring (frisking) of personnel and equipment prior to exiting the CRZ will be conducted by the SSHO.

Upon job completion, all equipment will be surveyed by ORNL Radiation Protection and tagged accordingly. If contamination is detected on equipment, the equipment will be cleaned with a paper towel. Equipment that cannot be decontaminated will be bagged and disposed of in accordance with instructions from the Radiation Protection representative.

For a more detailed explanation of decontamination, see Sect. 9 of the WAG 2 RI&SI HASP.

8. PERSONAL PROTECTIVE EQUIPMENT

PPE required for each specific job/activity is addressed in Sect. 5.1.1 of this site-specific WP/HSC. For a more detailed description of the recommended levels of PPE, see Sect. 6 of the WAG 2 RI&SI HASP. The recommended levels of PPE shall be determined by the SSHO and the HP technician on a task-by-task basis and shall incorporate recommendations of the appropriate ORNL health and safety organizations. The SSHO may effect PPE downgrades by recording the appropriate changes in the project logbook and notifying the HPC. All upgrades of PPE will require approval from the HPC and appropriate health and safety disciplines.

9. MEDICAL SURVEILLANCE

9.1 PHYSICAL EXAMINATION

Generally, WAG 2 RI&SI personnel do not meet the criteria to meet the criteria listed in 29 CFR 1910.120 for inclusion in the Hazardous Waste Worker Medical Surveillance Program. If field conditions should change, personnel who meet these criteria will be included in the ORNL Hazardous Waste Worker Medical Surveillance Program.

9.2 PERSONNEL SAMPLING/BIOLOGICAL MONITORING

This section is to be filled out by the SSHO and the HP or IH technician in the event a worker has the potential of an exposure to a contaminant that could be detrimental to his or her health or safety. Because of their potential to be exposed to radioactive contaminants, WAG 2 RI&SI field personnel are participants in the bioassay program.

Chemical in question: N/A

Nuclide in question: ^3H

Personnel monitoring device: No

Biological samples required? Yes X No ___

Biological samples taken: Bioassay semiannually

Additional comments and controls:

Nuclide in question: ^{90}Sr

Personnel monitoring device: Thermoluminescent dosimeter (TLD)

Biological samples required? Yes X No ___

Biological samples taken: Bioassay annually

Additional comments and controls:

Nuclide in question: ^{137}Cs

Personnel monitoring device: TLD

Biological samples required? Yes ___ No X

Biological samples taken: N/A

Additional comments and controls: Whole body count annually

10. SITE PERSONNEL AND CERTIFICATION

Site-specific training requirements are listed in Sect 5.1 of this WP/HSC.

Name: Telena D. Moore

Badge no.: 624087

Job performed: Sampling and coordinating laboratory activities

Respirator qualified? Yes ___ No X

HAZWOPER (SARA/OSHA) 40-h training? Yes ___ No X

HAZWOPER (SARA/OSHA) 24-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___

HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___

Confined space entry training? Yes ___ No X

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No X

Other training:

Name: Anthony Thomas

Badge no.: 17401

Job performed: Sampling

Respirator qualified? Yes X No ___

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___

HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes ___ No X

Confined space entry training? Yes ___ No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No X

Other training:

Name: Amanda CarrBadge no.: 624509Job performed: Sampling and laboratory processingRespirator qualified? Yes ___ No XHAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes ___ No XConfined space entry training? Yes ___ No X

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___Asbestos worker? Yes ___ No X

Other training:

Name: Benali BurgoaBadge no.: 624088Job performed: Sampling and laboratory processingRespirator qualified? Yes ___ No XHAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___Confined space entry training? Yes X No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___Asbestos worker? Yes ___ No X

Other training:

Name: Steve Short

Badge no.: 623576

Job performed: Sampling and laboratory processing

Respirator qualified? Yes ___ No X

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___

HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes ___ No X

Confined space entry training? Yes ___ No X

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No X

Other training:

Name: Virginia Holt

Badge no.: 615182

Job performed: Sampling and laboratory processing

Respirator qualified? Yes ___ No X

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___

HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___

Confined space entry training? Yes ___ No X

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No X

Other training:

Name: Donna PridmoreBadge no.: 623624Job performed: Sampling and laboratory processingRespirator qualified? Yes ___ No XHAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___Confined space entry training? Yes ___ No X

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___Asbestos worker? Yes ___ No X

Other training:

Name: Brent ZeiglerBadge no.: 626157Job performed: Field sampling coordinator, alternate SSHORespirator qualified? Yes ___ No XHAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___Confined space entry training? Yes ___ No X

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___Asbestos worker? Yes ___ No XOther training: Access road training

Name: Lisa BaronBadge no.: 623832Job performed: Field sampling team, alternate SSHORespirator qualified? Yes ___ No XHAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes ___ No XConfined space entry training? Yes ___ No X

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___Asbestos worker? Yes ___ No XOther training: Tennessee Wildlife Resources Agency boat safety training certification, access road training, waste generator trainingName: Allen RobertsBadge no.: 624926Job performed: Field sampling teamRespirator qualified? Yes ___ No XHAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes ___ No XHAZWOPER (SARA/OSHA) 8-h supervisor training? Yes ___ No XConfined space entry training? Yes X No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___Asbestos worker? Yes ___ No XOther training: Tennessee Wildlife Resources Agency boat safety training certification and access road training

Name: Bill McCallaBadge no.: 635910Job performed: Field sampling team

Respirator qualified? Yes ___ No ___

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___

HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes ___ No ___

Confined space entry training? Yes ___ No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No ___

Other training:

Name: David ReeceBadge no.: 625007Job performed: Field sampling team

Respirator qualified? Yes ___ No ___

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___

Confined space entry training? Yes ___ No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No ___

Other training:

Name: Kelly TurnageBadge no.: 622771Job performed: Field sampling team

Respirator qualified? Yes ___ No ___

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___

Confined space entry training? Yes ___ No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No ___

Other training:

Name: Roger ClappBadge no.: 25864Job performed: Field sampling team

Respirator qualified? Yes ___ No ___

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes X No ___

Confined space entry training? Yes ___ No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No ___

Other training:

Name: Chris Knight

Badge no.: 624904

Job performed: Field sampling team

Respirator qualified? Yes ___ No ___

HAZWOPER (SARA/OSHA) 40-h training? Yes X No ___

HAZWOPER (SARA/OSHA) 24-h training? Yes ___ No ___

HAZWOPER (SARA/OSHA) 8-h annual refresher? Yes X No ___

HAZWOPER (SARA/OSHA) 8-h supervisor training? Yes ___ No ___

Confined space entry training? Yes ___ No ___

Radiation Worker I? Yes ___ No ___

Radiation Worker II? Yes X No ___

Asbestos worker? Yes ___ No ___

Other training:

Appendix A

**EVACUATION ROUTES AND
ASSEMBLY POINTS**




Fig. A.1. Sediment Transport Modeling Task evacuation routes and assembly points.

Appendix B

WAG 2 CONTAMINANT LIST

Table D.1 Suspected WAG 2 contaminants and their characteristics

Contaminant	TLV, PEL, REL, DAC	STEL, IDLH	Health effects, target organs	Physical and chemical properties
2-Pentanone ^a Color: colorless to white	TLV: 150 ppm PEL: 200 ppm REL: NA	STEL: 250 ppm IDLH: 5000 ppm	Irritant to eyes and mucus membrane; headache, dermatitis, narcolepsy, coma	Liquid with characteristic acetone- like odor
Antimony ^a Color: dark gray Suspected carcinogen	TLV: 0.5 mg/m ³ PEL: 0.5 mg/m ³ REL: 0.5 mg/m ³	STEL: NE IDLH: 80 mg/m ³	Irritant to nose, throat, and mouth; causes nausea, dizziness, and cramps	Lustrous powder, insoluble; MP: 1166
Arochlor 1254 ^a Color: colorless to yellow Suspected carcinogen	TLV: 0.5 mg/m ³ PEL: 0.5 mg/m ³ REL: 1.0 mg/m ³	STEL: NE IDLH: 5.0 mg/m ³	Inhalation, ingestion, skin absorption, eye irritant, liver	Liquid or solid, odorless, insoluble
Arsenic ^a Color: NE Known carcinogen	TLV: 0.2 mg/m ³ PEL: 0.01 mg/m ³ REL: 0.002 mg/m ³	STEL: NE IDLH: 100 mg/m ³	Liver, kidneys, skin lymphatic system, respiratory system, GI tract, irritant	NE
Beryllium ^a Color: gray-white	TLV: 0.002 mg/m ³ PEL: 0.002 mg/m ³ REL: 0.0005 mg/m ³	STEL: NE IDLH: 10 mg/m ³	Lungs, skin, eyes, respiratory system, mucus membranes; pulmonary fibrosis and heart disease, metal fume fever	Hard brittle metal
¹³⁴ Cs Color: NE	DAC: 4E-8 µCi/mL	STEL: NE IDLH: NE	Respiratory system, total body, GI	Variable, half-life: 2.06 years; beta and gamma emitter
Chloroform Color: colorless Known carcinogen	TLV: 10 ppm PEL: NE REL: NE	STEL: NE IDLH: NE	Liver, kidneys, hear, eyes, skin; anesthesia, dizziness, mental dullness, nausea, headache, fatigue, irritant	Liquid with pleasant sweet odor; solubility: 0.8%; not combustible; recommended reproductive exposure limit: 0.4 ppm
Chromium Color: NE	TLV: 0.5 mg/m ³ REL: NE	STEL: NE IDLH: NE	Skin, respiratory system irritant; ulceration of nasal septum	Variable, depending on specific compound
Cobalt ^a Color: black Suspected carcinogen	TLV: 0.05 mg/m ³ PEL: 0.05 mg/m ³ REL: 0.05 mg/m ³	STEL: NE IDLH: 20 mg/m ³	Skin, respiratory system, eye irritant; kidney disorders, GI tract disturbances, dermatitis	Odorless solid, strong oxidizer
⁶⁰ Co Color: black	DAC: 6E-8 µCi/mL	STEL: NE IDLH: NE	Skin, respiratory system, eye irritant, kidney disorders, GI tract disturbances, dermatitis	Odorless solid, strong oxidizer; half- life: 5.27 years; beta and gamma emitter

Table D.1 (continued)

Contaminant	TLV, PEL, REL, DAC	STEL, IDLH	Health effects, target organs	Physical and chemical properties
¹⁵⁴ Eu Color: NE	DAC: 8E-9 $\mu\text{Ci/mL}$	STEL: NE IDLH: NE	GI, lower large intestines, lungs	Half-life: 8.6 years; beta and gamma emitter
¹⁵⁵ Eu Color: NE	DAC: 4E-8 $\mu\text{Ci/mL}$	STEL: NE IDLH: NE	GI, lower large intestines, kidneys, bone	Half-life: 4.7 years; beta and gamma emitter
Hexane ^a Color: NE	DAC: 2E-5 $\mu\text{Ci/mL}$	STEL: NE IDLH: NE	Body tissue	Liquid with acetone-like odor
³ H Color: NE	DAC: 2E-5 $\mu\text{Ci/mL}$	STEL: NE IDLH: NE	Body tissue	Colorless, odorless, tasteless gas; soluble in water; burns as a pale blue flame in the presence of oxygen; critical pressure: 12.4 atm; half-life: 12.2 years; beta emitter
Methylene chloride Color: colorless Known carcinogen	TLV: 50 ppm PEL: 500 ppm REL: NE	STEL: NE IDLH: 3000 ppm	Eyes, skin, liver, CVS, CNS irritant, numbness, tingling, vertigo, angina	Liquid with chloroform-like odor; LEL: 12%; solubility: 2%
Selenium ^a Color: dark red to blue-black	TLV: 0.2 mg/m^3 PEL: 0.2 mg/m^3 REL: 0.2 mg/m^3	STEL: NE IDLH: NE	Kidneys, respiratory system, eyes, liver, blood, skin, mucous membrane irritant; cold-like symptoms	Amorphous solid; insoluble
⁹⁰ Sr Color: NE	TLV: NE PEL: NE REL: NE	STEL: NE IDLH: NE	Skeletal system, respiratory system	Variable; half-life: 29.1 years; beta emitter
Thallium Color: NE	TLV: NE PEL: 0.1 mg/m^3 REL: 0.1 mg/m^3	STEL: NE IDLH: 20 mg/m^3	Eyes, skin, CNS, lungs, liver, kidneys, GI tract, body hair	Appearance, odor, and properties vary depending on the specific organic compound

Table D.1 (continued)

Contaminant	TLV, PEL, REL, DAC	STEL, IDLH	Health effects, target organs	Physical and chemical properties
²³⁴ U Color: silvery-white	TLV: NE PEL: NE DAC: NE	STEL: NE IDLH: NE	Radioactive; poisonous if ingested or inhaled	Malleable metallic element; half-life: 2.5 E5 years; alpha and gamma emitter
²³⁸ U Color: silvery-white	TLV: 0.5 mg/m ³ PEL: 0.05 mg/m ³ REL: 0.05 mg/m ³	STEL: 0.6 mg/m ³ IDLH: 30 mg/m ³	Highly toxic, radioactive, skin, bone marrow, lymphatic system, respiratory system	Metallic element; insoluble; half-life: 4.5 E9 years; alpha and gamma emitter

^aThese chemicals are not expected to present a health and safety hazard on the site because either (1) their toxicity in nature depends on the elements with which they are bonded or (2) the published exposure limits are based on occupational exposures to the chemicals that will not take place in the environment.

CNS = central
CVS = central nervous system
DAC = derived air concentration
GI = gastrointestinal
IDLH = immediately dangerous to life and health
PEL = permissible exposure limit

STEL = short-term exposure limit
TLV = threshold limit value
LEL = lower exposure limit
MP = melting point
NE = not established
REL = recommended exposure limit

DISTRIBUTION

1. R. L. Atchley
2. E. R. Barham
3. H. L. Boston
4. B. Burgoa
5. R. B. Clapp
6. C. Clark
7. G. L. Cofer
8. E. A. Ford
9. W. C. Hayes
- 10-14. S. E. Herbes
15. V. L. Holt
16. A. J. Kuhaida, Jr.
- 17-19. R. A. Mathis
- 20-22. D. M. Matteo
23. D. E. Miller
- 24-25. T. D. Moore
- 26-27. P. T. Owen
28. A. W. Saulsbury
29. P. A. Schrandt
30. D. R. Stallions
31. P. S. Wood
32. B. A. Zeigler
33. Central Research Library
- 34-35. Laboratory Records
36. ORNL Patents
- 37-41. ER Document Management Center—RC
42. ORNL ER Document Management Center
43. WAG 2 Document Management Center
44. J. T. Sweeney, Department of Energy Oak Ridge Operations Office, P.O. Box 2001, Oak Ridge, TN 37831-8541
45. Office of Assistant Manager for Energy Research and Development, Department of Energy Oak Ridge Operations Office, P.O. Box 2001, Oak Ridge, Tennessee 37831-8600
- 46-47. Office of Scientific and Technical Information, P. O. Box 62, Oak Ridge, Tennessee 37831