



XA0053872

## ITER OVERVIEW

Y. SHIMOMURA, R. AYMAR, V. CHUYANOV, M. HUGUET, R. PARKER  
and the International Thermonuclear Experimental Reactor (ITER)  
Joint Central Team and Home Teams

### Abstract

This report summarizes technical works of six years done by the ITER Joint Central Team and Home Teams under terms of Agreement of the ITER Engineering Design Activities. The major products are as follows: complete and detailed engineering design with supporting assessments, industrial-based cost estimates and schedule, non-site specific comprehensive safety and environmental assessment, and technology R&D to validate and qualify design including proof of technologies and industrial manufacture and testing of full size or scalable models of key components. The ITER design is at an advanced stage of maturity and contains sufficient technical information for a construction decision. The operation of ITER will demonstrate the availability of a new energy source, fusion.

## 1. INTRODUCTION

The ITER Project is a project being conducted under the auspices of the IAEA according to the terms of a four-party agreement among the European Atomic Energy Community (EU), the Government of Japan (JA), the Government of the Russian Federation (RF), and the Government of the United States (US), referred to herein as the Parties. *“The overall programmatic objective of ITER is to demonstrate the scientific and technological feasibility of fusion energy for peaceful purposes. ITER would accomplish this by demonstrating controlled ignition and extended burn of deuterium-tritium plasmas, with steady state as an ultimate goal, by demonstrating technologies essential to a reactor in an integrated system, and by performing integrated testing of the high-heat flux and nuclear components required to utilize fusion energy for practical purposes.”*[1]

Fusion energy programs throughout the world have benefited from a remarkable degree of openness and global cooperation which has brought with it dramatic progress in scientific understanding and performance achievement. The leading fusion experiments such as JET, JT-60U and TFTR, have realized their full performance potential, producing fusion power of 10-16 MW [2, 3], achieving equivalent break even condition [4] and investigating operation modes which may lead to a steady-state operation in ITER [5]. At the same time, supporting or specialized experiments in these and other devices, theory development and technology development are together broadening scientific understanding and establishing competence in fusion technologies. The logical next step for all the leading fusion programs is now to progress to study the physics of burning plasmas and steady-state operation, and to demonstrate and test the key fusion technologies and engineering to establish the feasibility of fusion as an energy source; ITER will fulfill this next step. The ITER project arose from the recognition by the leading programs of the comparable positions reached in existing experiments and of the benefit to be derived from undertaking the next step jointly. Collaboration on ITER provides significant savings through sharing of costs, and more importantly, the opportunity to pool experience and expertise gained over recent decades, and to draw from the scientific and technological expertise of all the world's leading fusion experiments and programs in an integrated and focused venture.

The original detailed technical objectives to achieve the overall programmatic objective of ITER were adopted by the Parties in 1992 [6]. ITER will have two roughly ten-year phases of operation, the Basic Performance Phase and an Enhanced Performance Phase. The first phase will address the issues of controlled ignition, extended burn, steady-state operation, and the testing of blanket modules. ITER's technical objectives require demonstration of controlled ignition and extended burn, in inductive pulses with a flat-top duration of approximately 1000 s and an average neutron wall loading of about 1 MW/m<sup>2</sup>. ITER should also aim to demonstrate steady-state operation using non-inductive current drive in reactor relevant conditions. It is assumed that for the first phase there will be an adequate supply of tritium from external sources. The second phase would emphasize improving overall performance and carrying out a higher fluence component and materials testing program. Tritium breeding might be implemented for

this phase. ITER must also be designed to demonstrate the safety and environmental acceptability of fusion as an energy source.

The original Engineering Design Activities (EDA) of ITER were completed by the Parties in July 1998 after 6 years' activities. Canada and Kazakhstan were also involved in the Project by associations with Europe and Russia respectively. During this period, the Parties agreed to produce a detailed, complete and fully integrated engineering design of ITER and all technical data necessary for decisions on the construction of ITER. The results of the EDA are available to the Parties to use either through international collaboration or within their domestic programs. The deliverables given at the end of the EDA met the original plan. The ITER design, supported by technology R&D, is at an advanced stage of maturity and contains sufficient technical information for the construction decision. Mainly due to delay of the construction decision, a three year extension of EDA is foreseen. During this period, site(s) specific design adaptations and safety analysis, preparation of license applications, prototype testing and further physics studies, and preparation of documents for future procurement are planned. The Parties will also develop proposals and necessary supporting information for complete realization of ITER including a draft agreement for construction and operation.

Due to increasing financial constraints, it becomes difficult to secure a commitment to finance the construction effort at the originally agreed costs. Therefore, the Parties are seeking cost reduction at the expense of assured performance. A Special Work Group of the Parties' representatives developed new technical requirements for possible changes to the original technical objectives with a view to establishing option(s) of minimum cost still satisfying the overall program objectives of the ITER EDA Agreement. The developed technical guidelines are as follows:

#### Plasma Performance

- Extended burn in inductively driven plasmas at  $Q > 10$  for a range of scenarios;
- Aim at demonstrating steady-state through current drive at  $Q > 5$ ; and
- Controlled ignition not precluded.

#### Engineering Performance and Testing

- Demonstrate availability and integration of essential fusion technologies;
- Test components for a future reactor; and
- Test tritium breeding module concepts.

The new requirements are still consistent with the integrated "one-step" strategy to DEMO. This proposal was approved by the Parties at the ITER Council [8] which requests:

- Establish option(s) of minimum cost aimed at a target of approximately 50% of the direct capital cost of the present design with reduced detailed technical objectives, which would still satisfy the overall program of ITER; and
- Use existing design solutions and associated R&D.

In order to select major parameters and design features of a reduced cost ITER by the end of 1998, an intense joint work of Joint Central Team and Home Teams is under progress. The existing EDA technical output of design choices, generic technologies and large R&D results are generally directly applied to a reduced cost ITER. Therefore, a reduced cost ITER will be able to be well developed in a relatively short period and the detail design report will be available July 2000 when the joint assessment of the ITER construction and operation by the Parties is planned.

In this paper, technical work done based on the original technical objectives during the original EDA period (July 1992-July 1998) is summarized.

## 2. ITER DESIGN [9-13]

According to the original plan, the main parameters summarized in Table I were defined after careful study of the balance between physics requirements for plasma confinement, control and stability based on ITER Physics Basis and Physics Rules [9], and engineering constraints such as heat loads, electromagnetic and mechanical characteristics, neutron shielding and maintainability to ensure safe and reliable operation within reasonable cost.

TABLE I. NOMINAL PARAMETERS AND DIMENSIONS OF ITER

Total Fusion Power	1.5 GW
Neutron Wall Loading	1 MW/m <sup>2</sup>
Plasma Major Radius	8.1 m
Plasma Minor Radius	2.8 m
Vertical Elongation @95% Flux Surface ( $k_{95}$ )	1.6
Triangularity @95% Flux Surface ( $\delta_{95}$ )	0.24
Plasma Current	21 MA
Toroidal Field @ 8.1 m Radius/ Toroidal Field Coil	5.7 T / 12.5 T
Divertor Configuration	Single Null
Auxiliary Heating Power	100 MW

Plasma performance of ITER is assessed based on the most recent experimental results and modeling. The three issues that most directly determine the plasma performance are:

- Energy confinement, edge parameters and capacity to reach and sustain H mode;
- $\beta$  (ratio of plasma pressure to magnetic field pressure) and particle density; and
- Impurity dilution, radiation losses, helium exhaust and divertor power handling.

Each of these issues has been studied thoroughly in a collaborative framework of voluntary ITER physics activities, coordinated through Expert Groups, which draws on the full range of physics expertise throughout the Parties' Fusion programs. The results are summarized in the ITER Physics Basis and Physics Rules [9]. Based on the results, ITER performance and its nominal operational domain were studied and can be summarized in Fig. 1 (a) and (b) which plot fusion power for a 21 MA discharge as a function of the H-mode enhancement factor,  $H_H$ , which characterizes the global energy confinement time in relation to its reference extrapolated value based on ELMy H-mode confinement. The plots take into account critical parameters concerning power loss ( $P_{loss}$ ) across the separatrix normalized by L-H power thresholds ( $P_{LH}$ ), particle density ( $n$ ) normalized by Greenwald density ( $n_{GW}$ ) and normalized beta ( $\beta_N$ ) and indicate the domain where the three conditions,  $P_{loss}/P_{LH} > 1$ ,  $n/n_{GW} < 1.5$ ,  $\beta_N < 2.5$  are satisfied either in ignited condition (Fig. 1 (a)) or in driven mode with heating power  $P_{aux} = 100$  MW (Fig. 1 (b)). In the case of ignition the available range of operational parameters around their normal values is commensurate with the possible uncertainties in extrapolation of confinement time. In driven modes, the feasible region is extended to cover a larger range of uncertainties.




FIG. 1 Fusion Power Domains @ 21 MA  
( $P_{loss}/P_{LH} > 1$ ,  $n/n_{GW} < 1.5$ ,  $\beta_N < 2.5$ )

The dynamic analysis and simulations indicate that time-dependent requirements for plasma operation — low divertor heat loads, helium pumping, H-mode power thresholds, etc., — can be fulfilled and controlled simultaneously.

The design incorporates all of the provisions needed for the reliable operation and control of ignited/or high Q driven-burn DT plasmas with fusion powers in the 1-1.5 GW range and fusion burn durations  $\geq 1000$  s. The nominal plasma parameters are chosen such that with “reference” physics basis assumptions about attainable energy confinement, attainable plasma density, adequate divertor target heat load, and projected plasma impurity content, sustained D-T burn with power  $\geq 1$  GW is possible. Auxiliary heating and/or current drive powers of up to 100 MW are provided for the initiation of ignited burn and for the sustainment of high-Q ( $\geq 10$ ) driven burn. The in-vessel plasma-facing surfaces and nuclear shielding modules are designed for steady-state power handling capabilities. The Poloidal Field coil system is sized and configured such that static and dynamic plasma equilibrium control at plasma currents of up to 24 MA is possible, and supplies sufficient inductive current drive to enable nominal 21-MA, 1600-s duration pulses (including a 1000-s fusion burn) to be produced. Somewhat shorter duration (500-s burn) inductively-sustained pulses at 24 MA are possible. Extension of the controlled burn duration up to  $\sim 6000$  s in a reduced-current driven-burn mode is also feasible. A true steady-state plasma operation with current driven by non-inductive methods at 1 GW range of fusion power in a reverse shear configuration can also be accessible.

Detailed designs for major specific components were developed, coherence of parts or subsystems with whole was achieved and all outstanding design issues were resolved except site-specific adaptations. Based on the design work and fabrication experience of R&D components, detailed industrial-based cost estimates were performed and the costs were shown consistent with originally agreed costs.

Table II summarizes key engineering features of the design. The essential engineering features on the tokamak core include:


- An integrated structural arrangement in which super conducting magnet coils (20 cased toroidal field coils, 9 poloidal field coils and a monolithic central solenoid) and vacuum vessel are linked to provide an overall assembly which simplifies the equilibration of electromagnetic loads in all conditions, relying largely on the robustness of strong TF coil cases (Fig. 2); and
- Modular in-vessel components (blanket modules on back-plate and divertor cassettes shown in Fig. 3) designed to be readily and safely maintainable by a practical combination of remote handling and hands-on techniques.

The tokamak is contained in a cryostat vessel, situated in an underground pit, inside a building of about 50 m height (Fig. 2). Peripheral equipment such as fueling and pumping, heat transfer, auxiliary heating and remote handling are arranged in galleries around the main pit. If the seismic ground peak acceleration is larger than 0.2 g, isolation will be added (Fig. 4), placing a seismic gap at the pit wall, creating an isolated (64 m diameter) “tokamak pit” supported by flexible bearings, still vertically but allowing large horizontal movement ( $\approx 200$  mm). This concept minimizes the design changes due to different seismic conditions. The main services required for ITER such as the electrical power, cooling water, fuel treatment, information flow, assembly and maintenance facilities, waste treatment, etc. are distributed in ancillary buildings and other structures throughout a site about 60 hectares overall.

TABLE II. SUMMARY OF KEY ENGINEERING FEATURES OF THE DESIGN

<b>Super conducting toroidal field coils (20 coils)</b>	
Superconductor	Nb <sub>3</sub> Sn in circular Incoloy jacket in grooved radial plates
Structure	Pancake wound, in welded steel case
Maximum Field	12.5 T
<b>Super conducting Central Solenoid (CS)</b>	
Superconductor	Nb <sub>3</sub> Sn in square Incoloy jacket
Structure	Layer wound
Maximum Field	13 T
<b>Super conducting poloidal field coils (PF 1-9)</b>	
Superconductor	NbTi in square Stainless Steel conduit
Structure	Double pancakes
Maximum Field	5 T (PF 1~8), 6.7 T (PF 9)
<b>Vacuum Vessel</b>	
Structure	Double-wall welded ribbed shell, with internal shield plates and ferro-magnetic inserts
Material	Stainless Steel 316 LN structure, SS 304 with 2% boron shield, SS 430 inserts
<b>1st Wall/Blanket (Basic Performance Phase)</b>	
Structure	Armor-faced modules mechanically- attached to toroidal backplate
Materials	Be armor Copper alloy heat sink Stainless Steel 316 LN structure
<b>Divertor</b>	
Configuration	Single null 60 solid replaceable cassettes
Materials	W alloy and C plasma facing components Copper alloy heat sink Stainless Steel 316 LN structure
<b>Cryostat</b>	
Structure	Ribbed cylinder with flat ends
Maximum inner dimensions	36 m diameter, 30 m height
Material	Stainless Steel 304L
<b>Heat Transfer Systems (water-cooled)</b>	
Heat released in the Tokamak during nominal pulsed operation	2200 MW at ~ 4 MPa water pressure, 150°C
<b>Cryoplant</b>	
Nominal average He refrigeration/ liquefaction rate for magnets and Divertor cryopumps (4.5 K)	120 kW/0.25 kg/s
Nominal cooling capacity at 80 K	510 kW
<b>Additional Heating and Current Drive</b>	
Total injected power	100 MW
Candidate Additional Heating and Current Drive (H&CD) systems	Electron Cyclotron, Ion Cyclotron, Lower Hybrid , Neutral Beam from 1 MeV negative ions
<b>Electrical Power Supply</b>	
Pulsed Power supply from grid	
Total active/reactive power demand	650 MW/500 Mvar
Steady-State Power Supply from grid	
Total active/reactive power demand	230 MW/160 Mvar

FIG. 2. Elevation view of the equipment layout.






FIG. 3. Isometric view of vacuum vessel, blanket and divertor.




FIG. 4. Tokamak building and pit.  
 Left: north-south cutaway view.  
 Right: east-west cross-section view (in case of seismic isolation).

### 3. ITER SAFETY [6]

Safety objectives of ITER are as follows:

- ITER shall be designed to be site-able in any of the Four Parties;
- ITER shall be designed, constructed, operated and decommissioned to ensure the protection of the public, site personnel and the environment; and
- ITER should demonstrate the safety and environmental potential of fusion.

In order to ensure ITER would be site-able by any of the Parties, it was recognized that a design was needed that would be robust to variations in safety approach and criteria. In other words, only a limited number of design changes would be needed to accommodate a Party's regulatory requirements. For this purpose, the ITER safety design guideline was developed with all Home Teams and has been implemented in the ITER design. This includes radioactive dose and release design guidelines established in accordance with internationally accepted conservative criteria and the principle of As Low As Reasonably Achievable (ALARA), and the well-established nuclear design concepts of Defense in Depth and Multiple Lines of Defense.

A comprehensive safety assessment of the ITER design has been completed and results show the following.

- (a) A high level of safety is integrated into the ITER design  
General safety design requirements were established with Home Teams including the conservative radioactive release limits. The design incorporates the well-established concepts of Defense in Depth and multiple lines of defense to attain high confidence in the reliability of critical safety features of the facility and ensure protection against postulated accidents.
- (b) Radioactive effluents and emissions during normal operation are low  
A comprehensive analysis of effluents and emissions shows that the total releases are well within ITER design release limits established in accordance with internationally accepted criteria and the principles of ALARA. Although there are uncertainties in the release estimates, there is adequate flexibility in the design to modify atmospheric and liquid control systems for improved performance.
- (c) The ITER design ensures protection of the public  
A comprehensive analysis of Reference sequences has been performed using the best safety analysis computer programs available worldwide with conservative assumptions. Radioactive releases are well within the ITER design release limits conservatively established. Two fundamentally different approaches, i.e., bottom-up and top-down approaches have been applied to the identification of all potential accident sequences. It has been confirmed that the consequences of the identified sequences are enveloped by the assessed consequences of the reference events.
- (d) Waste and Decommissioning  
Wastes stream has been studied in detail and a phased ITER Decommissioning Scenario has been developed by maximizing the use of existing facilities and equipment and using the advantage of cool down effects. All in-vessel components can be dismantled by the existing remote maintenance equipment used during ITER operation and all ex-vessel components can be dismantled by conventional tools. Only the vacuum vessel requires assistance of remote operation for dismantling or a further mothball for a later dismantle with human access. The major final radioactive waste is the in-vessel components.
- (e) Occupational Safety  
Radiation protection and ALARA analysis have been started. Throughout the life cycle of ITER, the Radiation Protection Program will continue to be updated and occupational safety consideration incorporated in the future design work.



## (f) Ultimate Safety Margins.

In addition to these studies, ultimate safety margins have been studied in order to demonstrate the intrinsic positive safety characteristics of magnetic fusion.

- The fusion reaction is self-limiting bounded by the  $\beta$ -limit of the plasma. Under any failure conditions of the vacuum vessel or the in-vessel components, the fusion reactions are physically impossible.
- The radioactive inventory is moderate and the ultimate performance of confinement barriers that needs to be assured in accidents will be about one order of magnitude reduction for tritium and mobilizable metallic dust for ITER, whereas six to seven orders of magnitude reduction is required for iodine and rare gas in fission power reactors.
- Radioactive decay heat densities are moderate. Therefore, structural melting of the plasma vessel is physically impossible and fast acting emergency cooling systems are not required.

Hypothetical accident sequences are investigated that would challenge the line of defense associated with failure of safety functions and potential energy sources, i.e., decay heat removal or confinement barriers, coolant energy and relating over pressure, plasma energy due to failure of power shutdown, steam-first wall material reaction due to over heat, hydrogen explosions, and magnetic energy. It is shown that there is no technical justification for evacuation of the public even under the worst case conditions of these hypothetical accident sequences. This result is mainly induced from the intrinsically positive safety and environmental characteristics of fusion such as passive fusion power shutdown, fusion power limitation, modest radioactive inventories, modest radioactive decay heat, and conservative structural design of the tokamak system including the multiple boundaries of the magnetic fusion reactor, i.e., the vacuum vessel attached with the pressure suppression tank and the cryostat. These features are common in a magnetic fusion reactor and ITER has the same level of size, power and radioactive inventories in a Fusion Power Plant. Therefore these favorable safety characteristics of ITER show fusion's safety and environmental potential.

Concluding the safety assessment, ITER could be constructed and operated without undue risk to health and safety, and without significant environmental impacts. A study on ultimate safety margins shows favorable safety characteristics of magnetic fusion. Home Team Expert reviews indicate that a technical basis to start a discussion with regulatory authorities has been well developed.

#### 4. ITER TECHNOLOGY R&D

The overall philosophy for ITER design has been to use established approaches and to validate their application to ITER through detailed analysis and by making and testing large/full scale models and prototypes of the critical systems. Major technical challenges in ITER are as follows:

- Unprecedented size of the super conducting magnet and structures;
- High neutron flux and high heat flux at the first wall/shield blanket;
- Extremely high heat flux in the divertor;
- Remote handling for maintenance/intervention of an activated tokamak structure;
- The first fusion machine with large radioactive inventory; and
- Unique equipment for fusion reactors such as fueling, pumping, heating/current drive system, diagnostics, etc.

ITER is being supported by extensive technology R&D to validate key aspects of design, including development and qualification of the applicable technologies and development and verification of industrial level manufacturing techniques with related quality assurance (QA). Technology R&D for ITER is now focused on seven large projects each devoted to one of the key aspects of the design as follows.

Two of the Projects are directed towards developing super conducting magnet technology to a level that will allow the various ITER magnets to be built with confidence. The Central Solenoid (CS) Model Coil Project and the Toroidal Field (TF) Model Coil Project are intended to drive the development of the ITER full-scale conductor, including the manufacturing of strand, cable, conduit and termination, and the conductor R&D in relation to AC losses, stability and joint performance. These Model Coil projects also integrate the supporting R&D programs on coil manufacturing technologies, including electrical insulation, winding processes (wind, react, and transfer) and quality assurance. In each case the Home Teams concerned are collaborating to produce relevant scale model coils and associated mechanical structures. The total planned production of 29 tons of Nb<sub>3</sub>Sn stand, from seven different suppliers throughout the four Parties, has been produced and qualified. For the CS model coil, the cabling and jacketing technology and winding techniques have been established and these activities have been completed. The next critical step, the heat treatment to react the super conducting alloy without degrading the mechanical properties of the Incoloy jacket, has been successfully achieved. All of the layers of the coil fabricated in Japan and the US are under assembly and get treatment.

For the TF model coil, forging and machining of the radial plates are complete. Cabling and jacketing work is also complete. Winding, reaction treatment and transfer of the reacted conductor on the radial plates have been also successfully demonstrated. All this work was performed in the EU. Dedicated coil test facilities, for the CS Model Coil in Japan and for the TF Model Coil in the EU, have been completed and stand ready to install the model coils for test programs aimed at gaining broad experience in their operational flexibility and to understand their performance margins. A 1 km jacketing has been completed in RF which confirmed the fabrication feasibility of the full size both in the length and the cross section.

Three Projects focus on key in-vessel components, including development and demonstration of necessary fabrication technologies and initial testing for performance and assembly/integration into the Tokamak system.

In the Vacuum Vessel Sector Project, the main objective is to produce a full scale sector of the ITER vacuum vessel, to establish the tolerances, and to undertake initial testing of mechanical and hydraulic performance. The key technologies have been established and, in relation to manufacturing techniques, two full-scale vacuum vessel segments (half sectors) have been completed in industry, using a range of welding techniques, within the required tolerances. They were welded to each other at the Japan Atomic Energy Research Institute (JAERI) to simulate the field joint at the ITER site.

The Blanket Module Project is aimed at producing and testing full scale modules of primary wall elements, and full scale, partial prototypes of coolant manifolds and backplate, and at demonstrating prototype integration in a model sector. The key technology has successfully developed, tested and qualified a range of crucial material interfaces such as Be/Cu and Cu/Stainless Steel, bonded using advanced techniques in the four Parties. A full scale model, without the attached components, has been completed in Japan. The shield-modules are attached to the backplate by mechanical means based on flexible connections to the backplate and interlocking, insulated keys between adjacent modules. These components were also developed. Full-scale modules with attached components are under fabrication in EU and will be tested to confirm that they meet the anticipated loads, the electrical insulating and the remote handling requirements together with the necessary accuracy of positioning.

The Divertor Cassette Project aims to demonstrate that a divertor can be built with tolerances and to withstand the very high thermal and mechanical loads imposed on it during normal operation and during transients. To this end, a full-scale prototype of a half-cassette is being built by the four Parties and subjected to high heat flux and mechanical tests in US. The key technologies of the high heat flux components of the divertor have been successfully demonstrated in the four Parties, using W-alloy and CFC as plasma facing materials bonded to copper cooled by high velocity water using both hypervaportron and swirl-tube technologies.

The last two of the Large Projects focus on ensuring the availability of appropriate remote handling technologies which allow intervention in contaminated and activated conditions in reasonable time scales. These technologies should provide the flexibility needed for ITER to pursue its scientific and technical goals whilst satisfying stringent safety and environmental requirements. In this area, full scale tools and facilities should be developed, their testing extended over a long period of time in order not only to check the right procedures, but also to optimize their use in detail and minimize the intervention time, and develop rescue procedures and equipment to recover equipment and components when necessary. This goal will require training of operators.

The Blanket Module Remote Handling Project is aimed at demonstrating that the ITER Blanket modules can be replaced remotely. This involves proof of principle and related tests of remote handling transport scenarios including opening and closing of the vacuum vessel and of the use of a transport vehicle on monorail inside the vacuum vessel for the installation and removal of blanket modules. The procedures have already been successfully demonstrated at about one fourth scale so as to reduce the risk/cost for the development of full-scale equipment. Work is now in progress on a full scale demonstration. The fabrication of the full scale equipment/tools, such as rail-mounted vehicle/manipulator system, and cooling pipe welding/cutting/inspection tools has been completed in Japan. Integrated tests in a Blanket Test Platform which simulates the full scale structure of a 180 degree ITER in-vessel region, are providing a comprehensive validation of the remote handling system so as to allow completion of the detailed design of components and the remote handling equipment.

In the Divertor Remote Handling Development, the main objective is to demonstrate that the ITER divertor cassettes can be removed remotely from the vacuum vessel and remotely refurbished in a Hot Cell. This involves the design and manufacture of full scale prototype remote handling equipment and tools, and their testing in a Divertor Test Platform (to simulate a portion of the divertor area of the Tokamak) and a Divertor Refurbishment Platform to simulate the refurbishment facility. Construction of the necessary equipment and facilities has been completed mainly in EU and integrated tests started.

In addition to these large projects, development of key components for fueling, heating/current drive, tritium process and diagnostic systems, irradiation tests and safety relating R&D are in progress.

The technical output from R&D validates the technologies and confirms manufacturing techniques and QA incorporated in the ITER Design and supports the manufacturing cost estimates for important key cost drivers. The activities are foreseen as continuing beyond July 1998 to further the prototype component testing and/or to optimize their operational use. Their performance also offers insights for a possible future collaborative construction activity. Already much valuable and relevant experience has been gained in the management of industrial scale, cross-party ventures. The successful progress of the projects increases confidence in the possibility of jointly constructing ITER in an international project framework.

## 5. ITER OPERATION

### 5.1. Operation plan

The construction schedule that leads up to the first hydrogen plasma operation was developed based on analysis of procurement, fabrication, installation and commissioning of all the ITER systems and gives 9 years from the start of the purchase order for the tokamak building and the super conducting cables. This period includes about one year of integrated commissioning, including vacuum pumping of a few months, discharge cleaning of a few weeks, and coil excitation tests, which ensures that all of the ITER plant is ready to operate, except some subsystems such as tritium plant, hot cells and radioactive material storage, unneeded in the first operation period with hydrogen plasma. ITER will have two phases of operation "Basic Performance Phase" (BPP) and "Enhanced Performance Phase" (EPP). Major operation features are summarized below.

*Basic Performance Phase (10 years)*

Operation of ITER will progress step by step from hydrogen plasma operation with low plasma current, low magnetic field, short pulse and low duty factor without fusion power to deuterium-tritium plasma operation with full plasma current, full magnetic field, long pulse and high duty factor with full fusion power. In each step, characteristics of plasma will be confirmed which will significantly reduce uncertainties in the next step.

During the first 2.5 years, hydrogen plasma experiments will be done, no fusion reaction occurs and ITER in-vessel components are not activated nor contaminated by tritium. Under this non activated condition, ITER will be commissioned with tokamak discharges at the maximum plasma current and the maximum magnetic field. A reliable plasma operation scenario to achieve the maximum plasma current will be developed. In this sense, this phase can be defined as the pre-nuclear commissioning phase. Then deuterium plasma experiments will start with a limited amount of tritium and the final ITER commissioning will be done, especially with regard to shielding performance. The fusion power and pulse length will be gradually increased. This approach ensures safe and reliable operation of ITER. In the fifth year, the reference operation with 1.5 GW and 1000 s burn pulse is planned to be achieved. In parallel with the development of the reference operation, various operation modes including the steady state-operation will be studied. The plan of BPP is summarized in Table III.

TABLE III. ITER PLASMA OPERATION PLAN FOR BASIC PERFORMANCE PHASE

DEVICE COMMISSIONING Year (-1)	ZERO ACTIVATION PHASE PLASMA COMMISSIONING (H, He)			HIGH ACTIVATION PHASE IGNITION, SUSTAINED BURN and BLANKET TEST (DD, DT)						
	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7	Year 8	Year 9	Year 10
Testing and Commissioning	Initial Ohmic and Auxiliary Heating Operation	Full Field, Current & Heating Power Operation	DD Proto-type Ignition	Sub-Ignited Operation	Ignition Studies $\geq 200s$	Sustained 1000 s Burn	----->		Sustained Burn $\geq 1000s$	----->
Baking and Conditioning	Diagnostics Commissioning with Plasma		Initial DT	Initial Preliminary Test	Steady-State of Blanket	Steady-State Studies	----->		Steady-State Blanket Modules Test	----->
	1200	1500	500	800	800	1000	1400	1200	1600	1800
	~ 2700 Commissioning of ITER Systems with Plasma			~ 3100			~ 6000 Pulses			

First Plasma     Operation     Maintenance     Commissioning of ITER Systems

In the Basic Performance Phase, tests of ITER tritium breeding blanket for the next phase, i.e., the Extended Performance Phase, and blankets for the Demonstration Fusion Reactor (DEMO) will be started. At present, four tritium breeding DEMO relevant blanket concepts are planned in the Parties' program for testing in ITER, in addition to one for the breeding blanket for the EPP of ITER to produce a large fraction of the tritium fuel. ITER has assigned four equatorial ports during the BPP for testing tritium breeding blankets. Accumulation of average neutron fluence on the first wall is planned to be up to 0.3 MWa/m<sup>2</sup>. A possible external tritium supply is sufficient for this phase. The amount of net consumption of tritium increases from 0.6 kg/a to 6.5 kg/a during the 7.5 years of this DT phase.

*Transient Phase from BPP to EPP (2 years)*

The shielding blankets will be replaced by the breeding blankets because external tritium resources are not sufficient for a significantly higher fluence than that of the BPP. This process requires about 2 years. A tritium breeding ratio of about 0.8 would be sufficient to provide about 1 MWa/m<sup>2</sup> during 10 years operation assuming an external supply of 1.7 kg tritium per year.

### *Enhanced Performance Phase (about 10 years)*

A detailed operation plan for the EPP has not been developed because it will depend on the plasma performance and operating experience obtained during the BPP. However, it is foreseen that there will be less emphasis on physics studies, and more emphasis on optimization of performances and reliable operation to produce high neutron fluxes and fluences, using the most promising operational modes developed during the BPP.

### *Remote Experiment Concept*

In order to use ITER efficiently and to involve large fusion communities within the Parties, remote experimental capabilities are foreseen. In order to realize this mode of operation, the machine operation with plasma will have to be developed to a certain level of expertise and many excellent plasma and machine operation groups will have to exist to ensure operational know-how is disseminated. The initial operation, i.e., the hydrogen phase, especially the first year, is the real ITER commissioning phase with plasma and the initial learning phase to develop machine and plasma operation and train future operational groups. Therefore, in this early phase, working at one site is fundamental and moderate operational shifts, i.e., two experimental shifts plus one night shift of limited activities like discharge cleaning, similar to those of the present large tokamaks, may fit in this phase. Remote experimental sites could be introduced after this period. Remote experiments, with the assistance of a limited number of people at the machine site, will be performed within a range of parameters and conditions agreed to in advance or given by the on-site control room.

## **5.2. Plasma operation [14]**

### *5.2.1. Inductive plasma operation*

The reference plasma operation scenario for ITER is based on saw-toothed ELMy H-mode operation wherein the 21-MA current flattop required during the 1000-s burn is sustained by inductive current drive. The scenario concept is identical to that employed in the present generation of shaped-cross-section divertor tokamaks. Figures 5 and 6 illustrate the scenario concept and show the plasma current/shape/configuration evolution that plays a key role in the scenario concept.

Key features of the nominal plasma operation scenario include 1) a 530 Wb PF system flux swing, 2) inductive plasma initiation (Townsend avalanche breakdown), with EC assist) in a high-order multipole field null positioned near an outboard port-mounted startup/shutdown limiter, 3) minor radius and elongation expansion of the startup plasma on the limiter prior to divertor formation at  $I_p \sim 15$  MA, and 4) maintenance of a precisely-controlled single-null divertor plasma configuration during the heating/burn/burn-termination phase of the scenario. Termination of the plasma current is effected following burn termination with a controlled minor radius and elongation contraction on the limiter.

Simulations of the plasma startup and shutdown dynamics show that the required MHD stability (trajectory in the  $q-l_i$  domain) and the edge plasma power balance required to avoid a density limit disruption are satisfied with acceptable margins. These simulations also show that the plasma resistive flux (volt-second) consumption during the startup and current rampup phase falls within the design basis guideline of  $0.45\mu_0 R_0 I_p (\sim 100 \text{ Wb})$  and that  $\geq 80$  Wb of PF system flux swing will be available for sustaining the 21-MA plasma current during fusion burn. For the nominal estimated burn-phase plasma resistive voltage, this flux swing will provide a 1300-s duration burn.

The nominal plasma operation scenario design basis is predicated upon a 'reference case' burn phase plasma with  $I_p = 21$  MA, poloidal beta = 0.9 and dimensionless internal inductance  $l_i(3) = 0.9$ . The sizing of the poloidal field coils and their power supplies is such that plasma equilibrium control and in most cases  $\geq 1000$ -s inductively-sustained burn can be obtained for 21-MA plasmas with  $0.7 \leq b_p \leq 1.2$  and  $0.7 \leq l_i \leq 1.1$ . Plasma operation with  $I_p = 24$  MA

( $q_{95} \sim 2.6$ ) and the corresponding  $b_p$  and  $l_i$  for 1.5 GW fusion power is also feasible. The inductively-sustained burn duration at 24 MA is about 500 s.

The scenario concept illustrated in Figs 5 and 6 will also support ITER operation with ohmic and auxiliary-heated DD plasmas during initial plasma commissioning, and extended-pulse inductively sustained driven-burn operation with reduced plasma current (e.g.,  $\sim 6000$  s burn at  $\sim 1$  GW with  $I_p = 17$  MA and 100 MW auxiliary heating power).




FIG. 5. PF and plasma parameter waveforms for the nominal 21-MA plasma operation scenario.




FIG. 6. Plasma configuration evolution and features for the 21-MA plasma scenario.

### 5.2.2. Steady-state and enhanced performance operation

The ITER design also incorporates the hardware provisions including sufficient poloidal field system flexibility and plasma magnetic control capability, and also various options for radially-localized heating and current drive that are now anticipated to be necessary to support steady-state plasma operation sustained entirely by non-inductive current drive and bootstrap current. Assessments of the feasibility of achieving such steady-state operation in ITER confirm that the major capabilities of the present design are consistent with known requirements for the reversed-shear plasma operation modes that are now obtained (mostly on a transient basis) in present tokamaks [15]. However, since the physics basis understanding of these modes and the plasma operation features required to sustain and control them on a steady-state basis are still subjects of physics R&D, at the present time the degree to which steady-state operation can be achieved in ITER and the details of how such operation will be controlled remain as research to be undertaken in the future.

A number of considerations related to ITER plasma operation and control in an reverse shear mode have already emerged. First, the required reversed shear with weak or negative central magnetic shear ( $s = r/q \, dq/dr$ ) can readily be produced in ITER by the same current and/or shape ramping combined with early auxiliary heating methods that have been successfully used to obtain enhanced performance reverse shear mode in present tokamaks. Second, the ITER

poloidal field system and divertor system are compatible with the production and stabilization of a high- $q$ , low  $l_i$ , high-elongation, high-triangularity plasma that can be obtained by shifting the plasma outward with decreased minor radius (e.g., outward shift  $\sim 0.5$  m,  $R_0 \sim 8.6$  m,  $a \sim 2.35$  m,  $I_p \sim 12$  MA,  $q_{95} \sim 5$ ,  $l_i \sim 0.4$ ,  $k_{95} \sim 2.0$  and  $\delta_{95} \sim 0.45$ ). Third, non-inductive maintenance of a suitable reverse-shear current profile and a non-inductively sustained 12 MA current with about 9.5 MA of bootstrap current is consistent with 100 MW of current drive power suitably apportioned between on-axis and off-axis deposition. These features all support the premise that non-inductively sustained steady-state plasma operation in the 1 GW power regime is possible in ITER if an appropriate energy confinement enhancement (e.g.  $\sim 1.3$  times of ELMy H-mode confinement) and a high poloidal beta (e.g.  $\sim 2.3$ ) are achieved.

## 6. CONCLUSIONS

- (1) The ITER design, given in the final design report [6], is at an advanced stage of maturity which contains the necessary technical information to satisfy the purpose of the EDA Agreement and to start the site(s) specific design adaptations.
- (2) The ITER design incorporates the provisions needed for the reliable operation and control of ignited and/or high- $Q$  driven-burn DT plasmas with fusion powers in the 1-1.5 GW range and fusion burn durations  $\geq 1000$  s. Extension of the controlled burn duration of up to  $\sim 6000$  s in a reduced-current driven-burn operation mode appears feasible. A true steady-state operation plasma with  $\geq 1$  GW fusion power in a reverse-plasma operation mode may also be attainable, but detailed understanding of the physics basis for the attainment and control of such plasmas remains as an on-going task for the world magnetic fusion program.
- (3) The safety assessment shows that ITER could be constructed and operated without undue risk to health and safety, without significant environmental impacts, showing the favorable safety characteristics of magnetic fusion energy production. A technical base to satisfy regulatory authorities of any potential host country has been developed.
- (4) The program of technology R&D, embodied in the seven large projects and other supporting tasks, validates the key aspects of the ITER design, including development and qualification of the applicable technologies and development and verification of industrial techniques in manufacturing components prototypes, with related QA. It also provides a substantial industrial database for cost estimates. At the same time the projects have successfully pioneered efficient modes of international collaboration which could be possible precursors for a collaborative construction of ITER and which is a valuable asset to any possible future collaboration in fusion development.
- (5) Operation of ITER is planned to progress step by step from hydrogen plasma operation with low plasma current, low magnetic field, short pulse and low duty factor without fusion power to the full deuterium-tritium burn operation in the fifth year. In each step, characteristics of plasma will be understood which will significantly reduce uncertainties in the next step. This approach enhances safety and reliability of the ITER operation. Remote experimental capabilities are foreseen to use ITER efficiently and to involve large fusion communities within the Parties.
- (6) The ITER project has so far proved to be an unprecedented and successful model of international cooperation in science and technology in which all participants benefit not only from the technical results but also from the experience of different approaches to project organization and management. It has proved to be an effective and efficient vehicle for the fusion engineering needed to realize any concepts of commercial magnetic fusion reactors. Bringing ITER to full realization through joint construction and operation will continue this process.
- (7) A three year extension of the EDA is now foreseen. During this period, the Parties need to resolve the key issues of siting and regulatory clearance, cost sharing and procurement arrangements, and establishing the legal framework and organization appropriate to a global

venture of ITER's size and technical demands. The following technical work was originally planned to help reinforce the technical basis for a positive construction decision:

- Adapting the design to the specific characteristics of possible construction sites;
- Supporting preparations for formal applications for licenses to build and operate ITER;
- Extending prototype testing to provide data on operational margin;
- Finalizing the design and procurement specifications and related documentation for the ITER systems taking into account industrial capabilities; and
- Consolidating the scientific basis of ITER operations.

However, due to financial constraints, this extension will now be used to develop reduced cost option(s) of ITER, aiming at a target of approximately 50% of the direct capital cost of the present design with reduced detailed technical objectives which would still satisfy the overall program of ITER. The existing EDA technical output of design choices, generic technologies and large R&D results are generally directly applied to a reduced cost ITER. Therefore, a reduced cost ITER will be able to be well developed in a relatively short period and the detail design report will be available July 2000 when the joint assessment of the ITER construction and operation by the Parties is planned.

## References

- [1] "ITER EDA AGREEMENT AND PROTOCOL 1," ITER EDA Documentation Series No. 1, IAEA, Vienna, 1992.
- [2] McGUIRE, K., ADLER, H., and ALLING, P. et al., *Phys. of Plasma* 2, pp 2176, 1995.
- [3] THE JET TEAM PRESENTED BY GIBSON, A., "D-T Plasmas in JET: Behavior and Implications" to be published in *Physics of Plasma*, 1998.
- [4] ISHIDA, S., FUJITA, T. and AKASAKA, H. et al., *Phys. Rev. Letter.* 79, pp 3917, 1997.
- [5] IDE, S., FUJITA, T., and NAITO, O. et al., *Plasma Physics and Controlled Fusion* 38, pp 1645, 1996.
- [6] "ITER COUNCIL PROCEEDINGS: 1992," *ITER EDA Documentation Series No. 3*, pp 53, IAEA, Vienna, 1994.
- [7] "TECHNICAL BASIS FOR THE ITER FINAL DESIGN REPORT, COST REVIEW AND SAFETY ANALYSIS" to be published in ITER Document Series, IAEA, Vienna, 1998.
- [8] "ITER COUNCIL PROCEEDINGS: 1998" to be published in ITER EDA Documentation Series, IAEA, Vienna 1998.
- [9] CAMPBELL, D. J. et al., "ITER Physics Basis and Physics Rules," IAEA-F1-CN-69/ITER/1.
- [10] PARKER, R. et al., "ITER In-vessel System Design and Performance," IAEA-F1-CN-69/ITER/2.
- [11] HUGUET, M. et al., "The Integrated Design of the ITER Magnets and their Auxiliary System," IAEA-F1-CN-69/ITER/4.
- [12] HAANGE, R., et al., "Remote Handling Maintenance of ITER," IAEA-F1-CN-69/ITER/5.
- [13] CHUYANOV, V.A., et al., "ITER Plant Layout and Site Services," IAEA-F1-CN-69/ITER/6.
- [14] WESLEY, J., et al., "Operation and Control of ITER Plasmas," IAEA-F1-CN-69/ITER/3.
- [15] PERKINS, F., et al., *Plasma Physics and Controlled Fusion*, (Proc. 24th Eur. Conf. Berchtesgarden, 1997) 21A 1017 (1997).