




XA0201987



Mutation Breeding Newsletter

JOINT FAO/IAEA DIVISION OF ISOTOPE AND RADIATION APPLICATIONS
OF ATOMIC ENERGY FOR FOOD AND AGRICULTURAL DEVELOPMENT
INTERNATIONAL ATOMIC ENERGY AGENCY, VIENNA

INIS-XA--500

INDEX ISSUE No. 11-20

A	Issue	Page	Issue	Page
<u>Abelia sp</u>	12	9	Breeding objectives	
apple see <i>Malus sp.</i>			compact type	19 2
apricot see <i>Prunus armeniaca L.</i>			early maturity	20 16
<u>Arachis hypogaea L.</u>			higher no. of pods	12 15
Mutant varieties			higher yield	12 15
Colorado Irradiado	15	9	"	19 2
Sin Padetha 1	20	16	large kernels	11 18
TG 1	20	6	"	20 6
TG 3	12	15	raffinose content	20 6
"	20	6	resistance to pests	19 2
TG 4	12	15	stachyose content	20 6
TG 17	12	15	sucrose content	20 6
"	20	6	tolerance to stress	19 2
Vikram (=TG 1)	11	18	uniform maturity	12 15
Virginia No. 5	15	9	Countries	
Yeouyou No. 22	19	2	Argentina	15 9
Other mutants mentioned			Burma	20 16
TG-18	20	6	China, P. R. of	19 1
TG-18A	20	6	India	11 18
TG-19A	20	6	"	12 15
TG-19B	20	6	"	20 6
Varieties treated			USA	15 9
Colorado Manfredi	15	9	<u>Achimenes sp.</u>	12 9
Magwe-10	20	16	Mutant varieties	
NC2	15	9	Cupido	17 15
Spanish Improved	11	18	Flamingo	17 16
"	12	15	Lollipop	17 16
"	20	6	Orion	17 16
Other variety mentioned			Pink Attraction	17 16
Virginia No. 3	15	9	Varieties treated	
Mutagens used			Paul Arnold	17 15,16
gamma rays	20	16	Repelsteeltje	17 16
radiation	15	9	Tango	17 16
x-rays	11	18		
"	12	15		

. . 33 / 30

	Issue	Page		Issue	Page
Mutagens used			Nora	14	10
fast neutrons	17	15,16	Pettis	14	10
x-rays	17	15,16	Titus	20	16
Breeding objectives			Mutagens used		
compact type	17	15,16	fast neutrons	14	4
dark green foliage	17	16	NEH	13	21
early flowering	17	16	NMH	13	21
freely flowering	17	15	x-rays	15	7
large flower	17	16	Breeding objectives		
more compact	17	16	dwarf	20	11
pink colour	17	16	earliness	20	16
small flower	17	16	disease resistance - BYDV	14	10
sturdy	17	15,16	" " - crown rust	14	10
County			" " - smut	14	10
The Netherlands	17	15,16	forage production	13	21
			later maturing	14	10
<u>Alstroemeria sp.</u>	12	9	lodging resistance	20	11
Mutant varieties			lysine content	20	16
Capitol	17	17	protein content	20	16
Fanfare	17	17	shorter culm	14	10
Harlequin	17	17	stiff straw	20	16
Harmony stabrons	17	16	test weight	14	10
Red Sunset	14	12	yield	14	10
Result	17	17	"	20	16
Rosali staliro	17	17	winter hardiness	14	10
Rosita stareza	17	16	Countries		
Trident	17	17	Australia	20	11
Valiant	17	17	Canada	20	11
Zebra stazeb	17	17	CSSR	15	7
Zenith	17	17	Finland	20	16
Varieties treated			USA	14	10
Carmen	17	17	USSR	13	21
Orchid Fl	17	17			
Paringo's Charm	17	17	azalea see Rhododendron sp.		
Regina	17	16			
Starosa	17	17			
Mutagens used			B		
x-rays	14	12	barley see Hordeum vulgare L.		
"	17	16,17			
Breeding objectives			<u>Begonia sp.</u>	12	9
flower colour	14	12	Mutant varieties		
" "	17	16,17	Aphrodite Joy	17	18
flower period	14	12	Aphrodite Peach	17	18
			Aphrodite Twinkles	17	18
Countries			Elegance	17	18
The Netherlands	14	12	Enchantress	17	17
"	17	16,17	Fantasy	17	17
			Flambeau	17	19
<u>Avena sativa L.</u>			Heirlooom	17	19
Mutant varieties			Hoblanche	17	19
Bates (CI 9211)	14	10	Mikkel Limelight	17	18
Belozernji	13	21	Northern Sunset	12	17
Bob (CI 9261)	14	10	Red Elegance	17	18
Florad	14	10	Rose Elegance	17	18
Florida 500	14	10	Varieties treated		
Florida 501	14	10	Aphrodite Red	17	19
Nasta	20	16	Aphrodite Rose	17	17,18
Ryhti	20	16	Aphrodite Rose Mutant	17	17,18
Zelenji	13	21	Renaissance	12	17
Other mutants mentioned			Schwabenland Pink	17	19
Jo-50-2395	20	16	Vuurgloed	17	19
OT 184D	14	4	Mutagens used		
"	20	11	fast neutrons	17	18,19
OT 207	20	11	gamma rays	17	17,18
Varieties treated			x-rays	12	17
Diadem	15	7	"	17	19
Diane	15	7	Breeding objectives		
Harmon	14	4	compact	17	17,18
"	20	11	disease resistance - mildew	17	19
Permit	15	7	dwarf	17	18
Pollux	15	7	flower colour	17	17,18,19
Tiger	15	7	increase no. of petals	12	17
Other varieties mentioned			larger flowers	17	18
Coker 58-7	14	10	more vigorous	17	18

	Issue	Page		Issue	Page
propagates by leaf cutting	17	17,18,19	Mutagens used		
ruffled flowers	17	17,18	NEH	11	9
self-branching	17	18	thermal neutrons	11	9
small foliage	17	18			
upright	17	17			
very large double flowers	17	18			
Countries			C		
Canada	12	17	<u>Capsicum annuum L.</u>		
Netherlands	17	19	Mutant varieties		
USA	17	17,18,19	Albena	16	5,19
bermuda grass see <i>Cynodon transvaalensis</i> Burt-Davy.			Krichimsky Ran	12	16
black currant see <i>Ribes nigrum</i> L.			Ljulin	20	16
black gram see <i>Phaseolus mungo</i> L.			Zlaten medal-ms (inbred)	20	16
birdseed trefoil see <i>Lotus corniculatus</i> L.			Other mutants mentioned		
			215 msj	12	16
			794 msj	12	16
<u>Bougainvillea sp.</u>	12	9	Varieties treated		
Mutant varieties			Pazardjishka kapia	12	16
Arjuna	15	14	Zlaten medal	16	5
Jaya	20	18	" "	20	16
Jayalaxmi Variegata	14	12	Other variety mentioned		
" "	20	19	Line 100	20	16
Lady Hudson of Ceylon	20	18	Mutagens used		
Variegata	20	18	gamma rays	16	5,19
Silver Top	20	18	x-rays	12	16
Varieties treated			Breeding objectives		
Jayalaxmi	14	12	anthocyaninless	16	5,19
Jayalaxmi	20	18	early harvest	12	16
Lady Hudson of Ceylon	20	18	" "	16	5
Partha	15	14	" "	20	16
Versicolour	20	18	high yield	12	16
Mutagens used			" "	16	5
colchicine	20	18	improved flavour	16	6,19
gamma rays	14	12	fruit quality	12	16
" "	15	14	" "	16	19
" "	20	18,19	male sterility	12	16
Breeding objectives			" "	20	16
variegated leaves	14	12	Countries		
" "	15	14	Bulgaria	12	16
Country			" "	16	6,19
India	14	12	" "	20	16
" "	15	14			
" "	20	18,19	carnation see <i>Dianthus caryophyllus</i> L.		
<u>Brassica chinensis</u>			<u>Carthamus tinctorius L.</u>		
Mutant variety			Breeding objectives		
Baical No. 9	19	2	fatty acid composition	18	8
Breeding objectives			Country		
better storage quality	19	2	India	18	8
cold tolerance	19	2			
growth period	19	2	castor bean see <i>Ricinus communis</i> L.		
higher yield	19	2	cherry see <i>Prunus avium</i> L.		
Country			chickpea see <i>Cicer arietinum</i> L.		
China, P. R. of	19	1	chinese cabbage see <i>Brassica chinensis</i>		
<u>Brassica juncea L.</u>			<u>Chrysanthemum sp.</u>	12	9
Mutant variety			Mutant varieties		
RLM 514	17	13	Amber Boston	16	20
Variety treated			Anamika	15	15
RL18	17	13	Aruna	15	14
Mutagen used			Asha	15	15
gamma rays	17	13	Ashankit	15	14
Breeding objectives			Basant	15	15
early maturity	17	13	Besanti	16	21
grain yield	17	13	Blue Star	16	19
less erucic acid	17	13	Blue Winner	15	16
oil content	17	13	Bright Lameet	14	12
shattering resistance	17	13	Bright Star	16	19
Country			Bright Westland	15	17
India	17	13	Bronze Charmette	15	17
<u>Brassica napus L.</u>			Bronze Clinspy	14	12
Variety treated			Bronze Miros	16	20
Oro	11	9	Bronze Star	16	20
			Bronze Westland	15	17
			Bronze Winner	15	16

	Issue	Page		Issue	Page
Coral Winner	15	16	Charmette	15	17
Cream Clingo	14	13	Charodeika	14	14
Dalekaya zoezda	14	13	Danusia	14	13
Danny Boy	15	16	Evening sun	16	19
Danny's Cape	15	16	Excellence	14	14
Danny's Pearl	15	16	E-13	15	15
Dark Charmette	15	17	"	16	21
Dark Deep Tuneful	15	16	Fish Tail	15	14
Dark Miros	16	20	Goldie	15	15
Dark Oriette	15	17	Hope	15	15
Dark Westland	15	17	Kansya	14	13
Gairik	15	14	Kingsford Smith	16	20
Gamma	15	16	"	17	19
Golden Clingo	14	13	Lameet	14	12
Hemanti	16	21	Megami	16	21
Himani	15	15	Mikrop	16	20
Jhalar	15	15	Miros	16	20
Kanak	15	15	Modnitsa	14	14
Kansya	15	14	Mrs. H. Gubby	15	14
Kapish	15	15	Obuda	15	16
Kraski oseni	14	13	Oriette	15	17
Kunchita	15	14	Otome-Zakura	14	13
Lohita	15	15	Paul	15	15
Mars	14	15	Pink Boston	16	20
Merkurii	14	15	Pink Casket	15	14
Middelry	15	16	Pink Star	16	19,20
Miechnyi put	14	15	Pink Winner	15	16
Mikrop	15	16	Pinkish sport of Horim	15	16
Milava	15	16	Privet zime	14	15
Milonka	15	16	Rose Day	15	14
Mirazh	14	14	Springdawn at Suti dam	14	14
Miros	16	20	Tuneful	15	16
Morning sun	16	19	Undaunted	15	14,15
Nirbhaya	15	15	Westland	15	17
Nirbhik	15	15	"	16	21
Orange Miros	16	20	Mutagens used		
Orion	14	14	gamma rays	14	13-15
Pingal	15	14	" "	15	14-16
Pink Clinspy	14	12	" "	16	12,20,21
Pitaka	14	13	x-rays	14	12,13
Pitambar	14	13	"	15	16,17
Plutonii	14	15	"	16	19,21
Privet Frantsii	14	14	Breeding objectives		
Purnima	14	13	crop duration	16	21
Radii	14	14	flower architecture	15	14,15
Rohit	16	20	flower colour	14	12-15
Saturn	14	14	" "	15	14-17
Selena	14	14	" "	16	12
Shafali	15	15	" "	16	19-21
Shukla	15	14	" "	17	19
Shveta	15	14	photoperiod sensitivity	16	12
Sointse	14	14	Countries		
Sputnik	14	14	FRG	16	13
Svarnim	15	15	Hungary	15	16
Tamra	15	15	India	14	13
Taruni	17	19	"	15	14,15
Tsezii	14	14	"	16	20,21
Uncle Danny	15	16	"	17	19
White Clinspy	14	12	The Netherlands	14	12,13
White Danusia	14	13	"	15	16
White Westland	16	21	"	16	19-21
White Winner	15	16	USSR	14	13-15
Yalta	14	13			
Yellow Clingo	14	13	<u>Cicer arietinum L.</u>		
Yellow Clinspy	14	12	Mutant varieties		
Yellow Danusia	14	13	Hyprosola = M-669	16	1,2
Yellow Westland	16	21	"	19	10,14
Yellow Winner	15	16	Other mutants mentioned		
Yupiter	14	15	BGM-401	20	15
Varieties treated			" 403	20	15
Beamsville Pink	15	16	" -405	20	15
Belur Math	15	14	" -408	20	15
Clingo	14	13	" -413	20	15
Clinspy	14	12	" -415	20	15

	Issue	Page		Issue	Page
" -416	20	15	Country		
" -417	20	15	China, P.R. of	19	2
" -418	20	15			
" -419	20	15	<u>Corchorus capsularis L.</u>		
" -421	20	15	Mutant variety		
" -422	20	15	JRC-7447	18	19
" -423	20	15	Other mutants mentioned		
" -424	20	15	T-93	16	7
CM 11	11	7	TCJ-5	16	7
CM 15	11	7	Varieties treated		
CM 16	11	7	JRC-212	18	19
CM 68	17	5,6	JRC-412	16	7
CM 72	17	5,6	Mutagens used		
M-29	16	2	fast neutron	16	7
M-55	16	2	x-rays	18	19
M-102	16	2	Breeding objectives		
Varieties treated			late flowering	16	7
C-104	20	14	short day insensitive	16	7
C-727	11	7	tall type	16	7
"	17	5	yield	18	19
Faridpur - 1	16	1,2	Country		
"	19	10,14	India	16	7
G-130	20	14	"	19	19
H-214	20	14			
L-345	20	14	<u>Corchorus olitorius L.</u>	16	6
Punjab 6	17	5	Mutant varieties		
Sindki	17	5	Atompat-28 (=C-28)	12	16
Thal Mankeva	17	5	Atompat-36 (=C-36)	12	16
6153	17	5	Atompat-38 (=C-38)	12	16
Other varieties mentioned			Shwe Gon Tun	12	16
Sabur-4	16	2	Other mutants mentioned		
"	19	10	TJ-23	12	5
6153	17	6	-26	12	5
Mutagens used			-32	12	5
EMS	17	5	-40	12	5
"	20	14	-42	12	5
fast neutrons	20	14	Varieties treated		
gamma rays	11	7	C-28	12	16
" "	16	1	D-154	12	16
gamma rays	17	5	JRO-632	12	4,5
" "	19	14	"	20	5
" "	20	14	Mutagens used		
NMU	20	14	EMS	20	5
Breeding objectives			gamma rays	12	4,16
compact type	11	7	nitrosomethyl	20	5
disease resistance -			guanidine (NMG)		
Ascochyta blight	17	5,6	thermal neutrons	12	4
earlier maturity	16	1	x-rays	12	6
" "	19	14	"	20	5
higher harvest index	19	14	Breeding objectives		
leaf shape	20	14	early maturing	12	16
less branching	16	1	fibre yield	12	4,6
maturity time	20	14	flowering time	16	6
more pods/plant	16	1	late maturity	12	16
"	19	14	plant height	12	16
nitrogen responsiveness	19	10	disease resistance stem rot		
plant architecture	20	14	(Macrophomina phaseoli)	12	16
pod size	20	14	short day insensitive	16	6
shorter plant type	16	1	stem diameter	12	4
upright type	11	7	Countries		
yield	16	1	Bangladesh	12	16
"	19	14	Burma	12	16
Countries			India	12	5
Bangladesh	16	3	"	16	7
"	19	10,14	"	20	5
India	20	15	cotton see Gossypium sp.		
Pakistan	11	8			
"	17	6	<u>Cymbopogon flexuosus Nees.</u>		
<u>Citrus paradisi Macf.</u>	12	9	Varieties treated		
			OD. 19	15	8
			RRL-59	15	9
<u>Citrus sp.</u>			Mutagens used		
Breeding objective			gamma rays	15	8
few seeds	19	2	radiation	15	9

	Issue	Page		Issue	Page
Breeding objectives			flower colour	14	15,16
essential oil content	15	8	" "	17	19,20
essential oil quality	15	9	flower shape	14	15,16
flowering habit	15	8	flower size	14	15,16
leaf colour	15	8	leaf colour	14	15,16
methyl-eugenol content	15	9	plant height	14	15,16
plant architecture	15	8	Countries		
Country			France	17	19,20
India	15	9	India	14	15,16
<u>Cynodon sp.</u>			<u>Dianthus carvophyllus L.</u>	12	9
Mutant varieties			<u>Dolichos lablab L.</u>		
Tifway mut. 72-126	18	8,9	Mutagens used		
Tifway II	19	14	gamma rays	14	1
Other mutants mentioned			NMG	14	1
Tifdwarf Mut. 70-45	18	9	NMU	14	1
" " 70-47	18	9	Breeding objectives		
Tifgreen Mut. 72-16	18	9	flowering time	14	1
" " 72-49	18	9	1000 grain weight	14	1
" " 72-54	18	9	seed yield	14	1
" " 72-59	18	9	Country		
Tifway Mut. 72-114	18	9	India	14	2
" " 72-117	18	9			
Varieties treated			durum wheat see <i>Triticum turgidum</i> ssp. durum Desf.		
Tifdwarf	18	9	E		
Tifgreen	18	9	eggplant (brinjal) see <i>Solanum melongena</i> L.		
Tifway	18	8,9	<u>Euphorbia fulgens Karw.</u>		
" "	19	14	Mutant variety		
Mutagens used			Albora	15	17
gamma rays	18	8,9	Mutagen used		
" "	19	14	x-rays	15	17
Breeding objectives			Breeding objective		
better spring growth	19	14	flower colour	15	17
denser turf	19	14	Country		
frost resistance	19	14	The Netherlands	15	17
nematode resistance	18	9	F		
" "	19	14	<u>Festuca pratensis Huds.</u>		
Countries			Mutagen used		
USA	18	10	x-rays	13	15
" "	19	14	Breeding objectives		
D			cytoplasmic mutations	13	15
<u>Dahlia sp.</u>	12	9	hybrid vigour	13	15
Mutant varieties			Country		
Adagio	17	19	USSR	13	15
Allegro	17	19	<u>Ficus carica L.</u>		
Altamira	17	19	Mutant variety		
Amalfi	17	20	Bol (Abundant)	18	19
Annibal	17	20	Mutagen used		
Bichitra	14	15	gamma rays	18	19
Black Beauty	14	16	Country		
Happiness	14	16	USSR	18	19
Jayaprakash	14	16	G		
Jubilee	14	16	<u>Glycine max L.</u>		
Jyoti	14	15	Mutant varieties		
Netaji	14	16	CERAG - 1	14	5,11
Pearl	14	16	KEX - 2	11	17
Pride of Sindri	14	15	Tiefeng No. 18	19	2
Twilight	14	16	Universal I	19	14
Vivekananda	14	16	Other Mutants Mentioned		
Varieties treated			A-I-13	18	13
Aztec	17	19,20	A-II-1	18	13
Black Out	14	16	C-IX-34	18	13
Croydon Apricot	14	16	C-XIV-128	18	13
Croydon Master	14	16	C-XIV-133	18	13
Croydon Monarch	14	16	C-X-36	18	13
Eagle Stone	14	16	KAS-CS-15-15-9	12	8
Kenya	14	15,16	KAS-1-2-103	12	8
Mutagens used					
gamma rays	14	15,16			
" "	17	19,20			
Breeding objectives					

	Issue	Page		Issue	Page
KAS-2-1-87	12	8	Poland	15	10
KAS-2-1-560	12	8	"	19	9
KAS-2-2	12	8	Romania	14	11
KAS-2-16	12	8	USSR	19	14
KAS-2-18	12	8			
KAS-2-23	12	8	<u>Gossypium sp.</u>		
KAS-2-33	12	8	Mutant varieties		
KAS-2-34	12	8	Lumian No. 1	19	2,15
KAS-2-43	12	8	NIAB - 78	20	12
KAS-2-44	12	8	Pusa Ageti	16	6,19
KAS-3-21	12	8	Rasmi	16	6,18
KAS-3-24	12	8	Other mutants mentioned		
KAS-3-25	12	8	AN-402	14	1
KAS-7-5	12	8	AN-403	14	1
KAS-7-14	12	8	M-555	20	11
KAS-7-15	12	8	M-909	20	11
KAS-10-59	12	8	ST. 3	20	11,12
Varieties treated			Varieties treated		
Altona	18	13	Daizi No. 15	19	2
"	19	9	Deltapine 16 x AC-134	20	12
B 107/10 (T)	14	5,11	MCU - 5	16	6,18
Chungbuk Baik	12	8	Stoneville	20	11,12
Clark	12	8	Stoneville 213	16	19
Fiskeby	19	9	Zhong No. 2 x 1195	19	15
Imeretinskaya	19	14	Other varieties mentioned		
KAERI 150-7	12	8	AC-134	20	12
" 200-3	12	8	B-557	20	12
" 390-10	12	8	Mutagens used		
Keum Kang-Dai-Rip	11	17	gamma rays	14	1
Sinmejiro	15	10	" "	16	6,18,19
Tachisuzunari	15	10	" "	19	25
Woronezka	19	9	" "	20	12
Mutagens used			Breeding objectives		
chemical mutagens	19	9	boll production	19	15
EMS	12	8	early maturity	14	1
gamma rays	12	8	" "	16	6
" "	14	11	" "	20	12
" "	15	10	fibre quality	14	1
" "	18	12	good vigour	19	15
" "	19	9,14	hairiness (jassid tolerance)	16	6,19
thermal neutrons	12	8	heat resistance	20	11
x-rays	11	17	natural defoliation	14	1
Breeding objectives			" "	20	11
cold resistance	14	11	photoperiod insensitivity	16	6,18
drought resistance	14	11	plant architecture	19	15
earlier maturity	11	17	salinity tolerance	14	1
" "	12	8	short duration	16	19
" "	18	12	short stature	20	11
flower colour	14	11	yield	16	18
grain yield	11	17	"	19	2
" "	12	8	Countries		
" "	14	5,11	China, R.R. of	19	15
" "	19	14	India	16	6,18,19
harvest index	18	12	Pakistan	20	12
hilum colour	12	8	USSR	14	1
" "	14	5			
larger seed	12	8	grape fruit see Citrus paradisi Macf.		
leaf shape	14	5	grape vine see Vitis vinifera L.		
less shattering	12	8	green gram see Vigna radiata L.		
lodging resistance	12	8	(Phaseolus aureus Roxb.)		
" "	19	14			
oil content	14	5	<u>Guzmania paecockii Ruiz et Pav.</u>	12	9
" "	19	2	Mutant variety		
plant height	14	11	Edith	17	20
protein content	19	2	Mutagen used		
seed colour	14	11	gamma rays	17	20
Countries			Breeding objective		
Algeria	14	5,11	striped leaves	17	20
China, P.R. of	19	1	Country		
Hungary	18	12	Belgium	17	20
Japan	15	10			
Korea, R. of	11	17			
" "	12	8			

H

	Issue	Page		Issue	Page
<u><i>Helianthus annuus</i> L.</u>			Stange	12	14
Mutant variety			Temp	13	18
Pervenets	13	20	Other Mutants Mentioned		
Mutagen used			Trumpf	20	17
DMS	13	20	Varieties treated		
Breeding objectives			Athenais	13	11
fatty acid composition	13	20	Attiki	13	11
high oil content	13	20	Beta ketsoras	14	11
Country			Bomi	13	18
USSR	13	20	Fuji 2-jyo	11	17
			Krasnodarskij 35	13	18
			Maja	14	4
			Moskovskii 121	12	14
			Ratna	14	2
			"	19	15
			"	20	10
			Other mutants mentioned		
<u><i>Hibiscus</i> sp.</u>			M71-Ath-495-2	13	11,12
Mutant varieties			M71-Ath-386-2	13	11,12
Hiroshima Local No. 1	12	17	M73-Att-122-2	13	12
" " " 3	12	17	" " 335-2	13	12
" " " 5	12	17	" " 335-3	13	12
" " " 8	"	"	" " 337-1	13	12
Variety treated			" " 360-1	13	12
Hiroshima Local	12	17	" " 396-2	13	12
Mutagen used			" " 411-2	13	12
gamma rays	12	17	" " 415-1	13	12
Breeding objectives			R - 16	14	2
disease resistance -	12	17	RD-137	20	10
Phytophthora parasitica			RS - 6	20	10
increased plant height	12	17	Other varieties mentioned		
Country			Anoidium	11	17
Japan	12	17	Arabische G	14	11
			Athenais	13	12
			Attiki	13	12
			Brigitta	19	15
			Ekonom	14	11
			Georgie	20	16
			Hanna	20	16
			Herta	11	17
			Impala	19	15
			Ingrid	12	14
			"	20	17
			Julia	13	18
			Kneifel	14	11
			K - 24	20	10
			Maris Yak	13	18
			Medina	20	17
			Montcalm	11	17
			Monte Christo	14	11
			" "	19	15
			Opal	19	15
			Proctor	20	17
			Rupal	20	17
			Rupée	19	15
			"	20	17
			Trumpf	20	17
			Valticky	14	11
			Vega	19	15
			Mutagens used		
			BUDR	11	17
			EI	12	14
			EMS	13	11
			"	19	15
			"	20	10
			fast neutrons	13	11
			" "	14	4
			gamma rays	11	17
			" "	13	11
			" "	14	2
			" "	19	15
			" "	20	10
			NEH	13	18
			"	14	2
			"	20	17

	Issue	Page
NMH	14	4
thermal neutrons	13	18
Breeding objectives		
disease resis.- loose smut	19	15
" " " "	20	10
" " - mildew	13	18
" " "	14	4
" " "	19	15
" " "	20	17
" " - yellow rust	19	15
" " " "	20	10
drought tolerance	14	11
earlier heading	13	18
earliness	19	15
flag leaf angle	14	2
high protein	12	14
" "	13	11
" "	20	17
lodging resistance	11	17
malting quality	14	11
maturity time	20	16
photosynthetic efficiency	14	2
shorter culm	11	17
" "	12	14
" "	13	18
" "	14	11
stiff straw	11	17
" "	13	18
stress resistance	20	17
tillering	19	15
" "	20	10
vegetation rhythm	14	11
winter hardiness	20	17
yield	11	17
" "	12	14
" "	13	11,18
" "	14	2,11
" "	19	15
" "	20	10,16,17
Countries		
Austria	20	17
Bulgaria	14	10
Canada	11	17
CSSR	12	13
" "	13	19
" "	14	11
Cyprus	13	11
Denmark	12	13
" "	13	18
Denmark	20	17
Finland	19	15
India	14	2
" "	19	15
" "	20	11
Japan	11	17
Norway	12	14
Sweden	19	15
UK	13	18
" "	20	16
USA	11	17
USSR	12	14
" "	13	18
" "	14	5
" "	20	17

J

Juglans regia L.

Breeding objectives		
larger fruit	19	2
uniform fruit shape	19	2
Country		
China, P.R. of	19	2
jute (tossa jute) see <i>Corchorus olitorius</i> L.		
jute (white jute) see <i>Corchorus capsularis</i> L.		

L

lemongrass see *Cymbopogon flexuosus* Nees.
lentil see *Lens culinaris* Medik.

Lens culinaris Medik.

Mutant varieties		
S-256 (Ranjan)	20	4,17
Varieties treated		
B - 77	20	3,17
Other varieties mentioned		
Baliya Local	20	4
JLS-4	20	4
K-75	20	4
Sagar	20	4
S-235	20	3
S-238	20	3
Mutagen used		
radiation	20	17
Breeding objectives		
flowering time	20	3
maturity time	20	3
seed size	20	3
spreading type	20	17
yield	20	3,17
Countries		
India	20	4,17

Lespedeza cuneata Dum.

Mutant varieties		
Interstate	16	19
Interstate 76	16	19
Other variety mentioned		
Ala 111	16	19
Breeding objectives		
resistance to nematode	16	19
yield	16	19
Country		
USA	16	19
<u>Lilium sp.</u>	12	9
Mutant varieties		
Mies Bouwman	17	20
TX 68 - 1	17	20
Variety treated		
Tabasco	17	20
Mutagen used		
x-rays	17	20
Breeding objectives		
excellent forcing quality	17	20
flower colour	17	20
Country		
The Netherlands	17	20

Linum usitatissimum L.

Mutant varieties		
Dufferin	18	17
Redwood 65	18	17
Other mutants mentioned		
TL - 1	11	9
" - 2	11	9

	Issue	Page		Issue	Page
Variety treated			Gorizont	13	20
Neelum	11	9	Variety treated		
Other varieties mentioned			Chapman	12	14
Raja	18	17	Mutagen used		
4013	18	17	EI	13	20
Mutagens used			Breeding objectives		
EMS	11	9	early flowering	12	14
gamma rays	11	9	low alkaloid content	12	14
Breeding objectives			" "	13	20
dwarf mutations	11	9	non-shattering	12	14
early flowering	11	9	white flowers and seeds	12	14
oil content	18	17	Countries		
resistance to			Australia	12	14
Melampsora lini	18	18	USSR	13	20
Countries			<u>Lycopersicon esculentum Mill.</u>		
Canada	18	17	Mutant variety		
India	11	9	Luch 1	19	15
<u>Lolium sp.</u>			Variety treated		
Mutagen used			Pushkinsky	19	15
colchicine	11	3	Mutagen used		
Breeding objective			gamma rays	19	15
altered chromosome number	11	3	Breeding objectives		
in vitro regeneration	11	4	early maturity	19	15
Country			yield	19	15
Ireland	11	4	Country		
			USSR	19	15
<u>Lotus corniculatus L.</u>					
Variety treated					
Mirable	14	3			
Mutagens used					
2-aminopurine (AP)	14	3			
EMS	14	3			
8-ethoxycoffeine (EC)	14	3			
N-hydroxyurea (HU)	14	3			
x-rays	14	3			
Breeding objective					
flowering time	14	4			
HCN - glucoside content	14	4			
less shattering	14	4			
winter hardiness	14	4			
yield	14	4			
<u>Lupinus angustifolius L.</u>					
Mutant variety					
Chittick	20	17			
Variety treated					
Borre	20	17			
Mutagen used					
EI	20	17			
Breeding objective					
early flowering	20	17			
Country					
Australia	20	17			
<u>Lupinus luteus L.</u>					
Mutant variety					
Aga	19	15			
Other variety mentioned					
Afus	19	15			
Mutagen used					
X-rays	19	15			
Breeding objectives					
disease resistance -					
Fusarium	19	15			
early maturity	19	15			
yield	19	15			
Country					
Poland	19	15			
<u>Lupinus sp.</u>					
Mutant varieties					
Dnepr	13	20			
Bregulla	12	14			

M

maize see Zea mays L.

<u>Malus pumila L.</u>	12	9
Mutant varieties		
Belrene	17	15
Blackjojn BA2520	17	15
Dovar	14	17
Lysgolden (Goldenir)	17	15
McIntosh 8F-2-32	17	15
Varieties treated		
Bramley's Seedling	17	3,4
Cox Orange Pippin	17	3,4
Crispin (Mutsu)	17	3,4
Gala	17	4
Golden Delicious	17	3,4,15
John Downie	14	17
Jonathan Blackjojn	17	15
King of Pippins	15	7
Malling Kent	17	4
McIntosh	17	15
Parmena Zlata	15	7
Queen Cox	17	4
Reine des reinettes	17	15
Roter Jungfernapfel	15	7
Spartan	17	3,4
Suntan	17	4
Wealthy	15	7
Other varieties mentioned		
Discovery	17	3
Holstein	17	3
Kidd's Orange Red	17	3
MM 106 (root stock)	17	3
Tydemans Worcester	17	3
Mutagens used		
EMS	17	15
gamma rays	15	7
" "	17	15
radiation	17	3
x-rays	14	17
Breeding objectives		
bigger fruit	17	15
disease resistance -		
Podosphaera leucotricha	17	15
disease resistance -		
Venturia inaequalis	17	15

	Issue	Page		Issue	Page
earlier maturity	17	15	- weather fleck	19	3
free of russetting	17	15	- TMV	16	7
fruit colour	17	15	yield	19	16
smaller tree	19	2	Countries		
variegated leaves	14	17	Canada	19	5,16
yield	17	15	Italy	16	9
Countries			USSR	13	21
Canada	17	15			
CSSR	15	7			
France	17	15			
The Netherlands	14	17			
UK	17	2			
<u>Mentha arvensis L.</u>					
Mutant variety			<u>Olea europaea L.</u>		
Rose mint	15	13	Mutant varieties		
Variety treated			Briscola	19	3,17
Japanese mint	15	13	Varieties treated		
Mutagen used			Ascolana	19	3,17
gamma rays (cell culture)	15	13	Mutagen used		
Breeding objectives			gamma rays	19	3,17
altered fragrance	15	13	Breeding objectives		
oil quality	15	13	compact type	19	17
oil yield	15	13	early entering production	19	17
Country			easy harvest	19	17
Japan	15	13	male sterility	19	17
			short internodes	19	3
			Countries		
			Italy	19	3,17
<u>Mentha piperita</u>			olive see <i>Olea europaea L.</i>		
Mutant variety			orange see <i>Citrus sp.</i>		
Todd's Mitcham	11	18			
Variety treated			<u>Oryza sativa L.</u>		
Mitcham	11	18	Mutant varieties		
Breeding objective			Akihikari	11	17
resistance to			"	15	2,3
Verticillium	11	18	Allorio Lambda	18	2
Mutagens used			Allorio Theta	18	2
thermal neutrons	11	18	Arlatan	18	2,15
Country			Calendal	18	2,16
USA	11	17	Calmochi 201	15	12
<u>Morus sp.</u>			Calrose 76	13	19
Breeding objectives			"	18	16
bigger and thicker leaves	19	2	"	20	8
more tender leaves	19	2	CNM 6	18	17
yield	19	2	" 20	18	17
Country			" 25	18	17
China, P. R. of	19	2	" 31	18	17
mulberry see <i>Morus sp.</i>			D 31	15	13
mungbean see <i>Vigna radiata L.</i>			Delta	18	2
(<i>Phaseolus aureus</i> Roxb.)			Fujihikari	11	16
			"	15	3
			Hanahikari	15	3
			Hayahikari	11	16
			"	15	3
			Houhai	15	3
<u>Nicotiana tabacum L.</u>			IRAT 13	11	16
Mutant varieties			" "	19	3,13
American Bakhchesoraiskii	13	21	IRATOM 24	12	5
Delhi 76 (M15)	19	3,16	"	21	7
Krupnolystnyi	13	21	IRATOM 38	12	5
Yubileinyi	13	21	"	21	7
Varieties treated			Jagannath	11	5
Bright	16	8	Kagahikari	11	16
Delhi 34	19	3,4,16	"	15	3
Xanthi Yaka	16	8	Kanto 79	17	13
Mutagens used			Kashmir Basmati		
gamma rays (in vitro			- Mutant EF-29-1	11	5
culture)	16	8	" "	13	12
" "	19	4,16	Katsurawase	15	3
NEH	13	21	L - 201	20	7,8
Breeding objectives			Miyama Nishiki	15	12
better quality	19	3,16	Miyamishiki	17	13
disease resistance	19	3,16	Miyuki-mochi	15	2,12
- <i>Peronospora tabacina</i>	16	7	Mutsuhonami	15	3
- black rot	19	3			

N

	Issue	Page		Issue	Page
M 4 - 17	16	14	IR - 8	12	5
M 7 - (=CI 9967)	13	19	"	18	17
M 9	20	7,8	IR - 24	16	13
M - 101 (=CI9970)	15	5,13	"	20	18
"	20	7,8	IRAT 2	19	13
M - 301	18	16	Jibang	19	6
M - 401	19	16	Jinheung	12	7
Nanjing No. 34	19	16	Kezi No. 6	19	16
RD - 10	18	16	Khao Dawk Mali 105	13	19
RD - 15 (KDML 105			Kokwang	12	7
65G ₁ -U-45)	13	19	Koshihikari	15	2,4
Reimei	11	16,17	"	17	13
"	15	2,3,4	Kwangluai 4	14	9
"	18	4	Milsung	12	7
Sachiminori	15	3	Moroberekan	19	13
Shwethwetun	20	18	Norin	15	2
Shwe-War-Tun	12	17	Pelita I/1	15	6
"	16	13	Pl No. 4	15	2,4
"	19	1	Pungkwang	12	7
S - 201	18	16	RD 1	18	16
"	20	7,8	Siyam Halus (IR 29386)	18	3
Thetalam B	18	2	Siyam Kuning (IR 30446)	18	3
Yuanfeng Early	19	2	S 6	15	12
Yuan Feng Zao	17	13	Takane-nishiki	15	12
" " "	19	16	Terso	19	16
Other mutants mentioned			Tongil	12	8
Fukei No. 71	11	16	Toyonishiki	15	12
"	15	3,4	T 141	11	5
"	18	4	63 x 83	11	16
IRAT 2	19	13	Zhaofong	19	16
" 10	19	13	Other varieties mentioned		
" 78	19	13	Balilla 28	18	2
" 79	19	13	CS - M3	13	19
" 109	19	13	"	15	5,13
" 114	19	13	"	18	16
" 133	19	13	Deo Geo Woo Gen	19	13
" 141	19	13	Dewaminori	15	3
KAR 2	12	7	Dourado Precoce	19	13
" 50	12	7	D 31	15	5
" 151	12	7	Earlirose	15	5
" 197	12	7	Enribe	18	2
" 281	12	7	Fukei 67	11	16
" 398	12	7	"	15	3
" 1-35	12	7	" 72	11	16
" 9-151	12	7	" "	15	3
" 10-156	12	7	IR 5	19	13
" 21-201	12	7	IR 8	19	13
" 27-270	12	7	Kojonishiki	15	3
" 30-326	12	7	Koshihikari	11	16
" 34-333	12	7	Lung Sheng	19	13
RA - B	15	3,4	Manryo	15	3
"	15	4	M 5	18	16
R - 151	11	16	M 9	15	5
"	15	3,4	Peta	19	13
			S 6	18	16
			Todorokiwase	17	13
Varieties treated with mutagens			Toyonishiki	11	16,17
Allorlo II	18	2	"	15	3
" Lambda	18	2	TR	19	13
Arlesienne	18	2,15,16	Wakakusa	15	3
Bengawan	18	4	Yamanishiki	15	3
Basmati 370	11	5	560A	19	13
Calrose	20	8	63104	19	13
Cesarriot	16	11	Mutagens used		
"	18	2	EI	18	3
"	20	4	EMS	19	12
Cigalon	16	11	fast neutrons	18	16
"	18	2	gamma rays	11	16
C4 - 63	16	13	" "	12	5,7,17
Fujiminori	15	4	" "	13	19
"	18	4	" "	15	4,5,6,12
IR - 5	12	17	" "	16	13
"	16	13	" "	17	9,13
"	19	1			

	Issue	Page		Issue	Page
" "	18	2,15,16	short stature	11	16,17
" "	19	16	" "	13	19
" "	20	4,18	" "	15	3,4,5,13
microwave	19	16	" "	17	13
sodium azide	19	12	" "	18	2,3,4,16
x-rays	11	5	stiff culm	11	17
"	12	7,8	" "	15	3,4
"	18	2,17	suitable - "sake" brewing	15	12
Breeding objectives			tillering - increased	18	2,3,17
amylose content	19	1	threshability - improved	18	2,15
" "	20	18	yield	11	17
cold tolerance	20	7	" "	12	7,17
daylength tolerance	11	16	" "	13	19
" "	18	16	" "	15	3,4,13
disease resistance - blast	12	7,8	" "	18	2,15
" "	15	3	" "	19	16
" "	19	13	" "	20	18
" " - BLB	18	17	Countries		
" " brown spot	18	17	Bangladesh	12	7
" " - Sclerotium			Burma	12	17
oryzae	18	16	"	16	14
double cropping	13	12	"	19	1
drought resistance	13	19	"	20	18
" tolerance	18	17	China P. R. of	17	9,13
earliness	12	17	"	19	6,16
"	16	3	France	12	13
"	18	3	"	16	12
early flowering	11	5	"	18	2,15,16
" "	12	8	"	20	4
" "	17	13	India	11	5
early growth	12	8	"	14	3
early maturity	11	16	"	18	17
" "	12	5,7,8	"	19	12
" "	13	12,19	Indonesia	15	7
" "	15	3,4,5,13	"	18	3
" "	17	9	Ivory Coast	11	16
" "	18	4,16,17	Japan	11	16,17
" "	19	2,16	"	15	2,3,4,12
glabrous hulls and leaves	15	5	"	17	13
glutinous endosperms	15	12	"	18	4
" "	18	16	Korea	12	8
grain quality - good	12	17	Pakistan	11	6
" "	15	3	"	13	13
" "	16	13	Philippines	18	5
" "	19	1,16	Thailand	13	19
higher yield per day	18	17	"	18	16
larger grain	12	7	USA	13	19
" "	15	12	"	15	6,12,13
later maturity	18	2	"	18	16
leaf shape	19	1	"	19	16
less shattering	12	8	"	20	8
longer culm	12	17			
longer grain	18	2,16,17			
" "	18	17			
medium grain	15	5	peach see Prunus persica L.		
N-fixation	16	10	peanut see Arachis hypogaea L.		
"	20	4	pearl millet see Pennisetum americanum		
photoperiod insensitivity	18	3,4	pear see Pyrus communis L.		
photosynthetic efficiency	14	3	pea see Pisum sativum L.		
" "	19	6			
plant architecture	19	1	<u>Pennisetum americanum L.</u>		
plant height	20	18	Mutant variety		
" " - taller	19	1	New Hybrid Bajra 5 (NHBS)	11	18
protein content	12	7	Other mutant mentioned		
" "	14	3	5071 A	11	18
resistance to lodging	11	16	Varieties treated		
" " "	17	13	Tift 23A	11	18
" " "	18	16	"	20	1
resistance to BPH	15	6	Tift 23B	11	2
" " "	18	17	Tift 23d2B	20	2
" " thrips	18	17	Tift 239DB	11	2
tolerance to cold	15	3	Other varieties mentioned		
seed dormancy	18	2	Inbred J104	20	1
semi-dwarf plant height	19	16	Hybrid HB-3	20	1

	Issue	Page		Issue	Page
Hybrid HB-1	20	1	Varieties treated		
Male sterile inbreds			Kaliski	17	10
ICM ms81A	20	2	Line 5/2	15	13
111A	20	2	Nemchinovsky 766	12	15
5054A	20	2	Palema	17	10
5141A	20	2	Sprinter	19	17
Mutagens used			T-163	18	5
DES	11	2	Other varieties mentioned		
EMS	11	2	L-116	18	5
gamma rays	11	18	MUP	18	5
thermal neutrons	11	2	Porta	15	13
Breeding objectives			"	18	17
earliness	11	2	1.6L/78	18	17
protein	11	2	Mutagens used		
resistance to downy mildew			DES	12	15
(Sclerospora graminicola)	11	1	EI	15	13
" " "	20	1	fast neutrons	17	10
Countries			gamma rays	15	13
India	11	18	" "	18	5
" - ICRISAT	20	1	NEU	17	10
USA	11	2	x-rays	19	17
pepper see <i>Capsicum annuum</i> L.			Breeding objectives		
peppermint see <i>Mentha piperita</i> L.			early maturing	15	13
<u>Phaseolus mungo</u> L. (<i>Vigna mungo</i>)			" "	18	5,17
Mutant mentioned			easy harvest	19	17
B - 10 (23)	19	11	larger grain	12	15
Variety treated with mutagen			later flowering	19	17
B - 10	19	11	plant height reduction	15	13
Mutagen used			" " "	19	17
gamma rays	19	11	protein content	12	15
Breeding objectives			resistance to lodging	15	13
harvest index	19	11	" " "	18	17
increased no. pods/plant	19	11	yield	15	13
seed yield/plant	19	11	" "	18	17
shorter plant	19	11	" "	19	17
upright pods	19	11	Countries		
Country			India	15	13
Bangladesh	19	11	" "	18	6
<u>Phaseolus vulgaris</u> L.			Italy	19	17
Mutant variety			Poland	11	7
Giza 80	17	14	" "	15	13
Varieties treated			" "	17	10
Carioca	16	16	" "	18	17
Fin de Villeneuve	17	14	" "	19	9
Porriño Sintetico	16	16	USSR	12	15
Mutagens used			plum see <i>Prunus domestica</i> L.		
EMS	16	16	<u>Polyanthes tuberosa</u> L.	12	9
gamma rays	16	16	Mutant varieties		
" "	17	14	Rajjat Rekha	14	17
Breeding objectives			Swarna Rekha	14	17
higher TWK	17	14	Mutagen used		
protein content	17	14	gamma rays	14	17
rust resistance	17	14	Breeding objective		
shorter cooking time	17	14	variegated leaves	14	17
white seed coat	17	14	Country		
yield	17	14	India	14	17
Countries			pomegranate see <i>Punica granatum</i> L.		
Brazil	16	16	<u>Populus trichocarpa</u> L.		
Egypt	17	14	Other variety		
<u>Pisum sativum</u> L.			Donetskii Zolotoi	15	17
Mutant varieties			Mutagen used		
Esedra	19	17	gamma rays	15	17
Hamil	18	17	Breeding objectives		
Hans	15	13	growth rate	15	17
Moskovsky 73	12	15	variegated leaves	15	17
Navona	19	17	Country		
Sum	15	13	USSR	15	17
Wasata	15	13			
" "	18	17			

	Issue	Page		Issue	Page
<u>Portulaca grandiflora L.</u>	12	9	Country		
Mutant varieties			Italy	11	9
Five Petal	20	19			
Jhumka	14	17	<u>Prunus cerasus L.</u>		
Karna Pali	14	17	Mutant varieties		
Karna Phul	17	20	Karlik Samorodka	18	18
" "	20	19	Plodorodnaya Michurina	19	17
Lalita	14	17	Polukarlik Orlovskoi		
Mukta	14	17	Rannei	18	18
Pink colour	20	19	Polukarlik Turgenevki	18	18
Ratnam	14	18	Varieties treated		
" "	15	17	Orel Early	18	18
Rosy green	20	19	Prunus maackii	19	17
Semi-double	20	19	Samorodka	18	18
Vibhuti	14	18	Turgenevka	18	18
" "	15	17	Mutagens used		
Varieties treated			gamma rays	18	18
Karna Pali	14	17	x-rays	19	17
Vibhuti	14	17	Breeding objectives		
Mutagens used			type of growth - dwarf	18	18
gamma rays	11	10	Country		
" "	14	17	USSR	18	18
" "	15	17	"	19	17
" "	17	20			
" "	20	19	<u>Prunus domestica L.</u>		
Breeding objectives			Treated variety		
flower colour	11	10	different cultivars	17	3
" "	14	17,18			
" "	15	17	<u>Prunus persica L.</u>	12	9
" "	20	19	Mutant variety		
flower shape	11	10	Plovdi 6	18	19
" "	14	17,18	Treated variety with mutagens		
" "	15	17	Dupnishka	18	20
" "	20	19	Other variety mentioned		
" size	14	17,18	Halle	18	19
gerbera-type flower	17	20	Mutagen used		
" " "	20	19	gamma rays	18	19
Countries			Breeding objectives		
India	11	10	fruit quality	18	19
"	14	17,18	large fruit	18	19
"	15	17	middle early flowering	18	19
"	17	20	yield	18	19
"	20	19	Country		
potato see Solanum tuberosum L.			Bulgaria	18	19
<u>Prunus armeniaca L.</u>	12	9			
<u>Prunus avium L.</u>	12	9	<u>Punica granatum L.</u>		
Varieties treated	17	3	Mutant varieties		
B. Burlat	11	8	Karabakh	18	19
B. Napoleon	11	8	Khyrda	18	19
B. Moreau	11	8	Mutagen used		
Durone di Vignola I	11	8	gamma-rays	18	19
" " Vignola II	11	8	Breeding objective		
" " Vignola III	11	8	dwarf type	18	19
Mora di Vignola	11	8	Country		
Ravenna	11	8	USSR	18	19
Saccoccia	11	8	<u>Pyrus communis L.</u>	17	3
Other mutants mentioned			Breeding objective		
TS 7	11	8	resistance to cold	19	2
67-7-A3	11	8	Country		
67-38-B3	11	8	China P. R. of	19	2
68-98-B3	11	8			
69-26-B4	11	8			
69-118-B4	11	8			
69-150-A3	11	8			
Mutagens used			<u>R</u>		
gamma rays	11	8	rape see Brassica napus L.		
x-rays	11	8			
Breeding objectives			<u>Rhododendron sp.</u>	12	9
earlier fructification	11	8	Mutant variety		
higher production	11	8	Aleida	14	18
plant height reduction	11	8	Variety treated		
			Vuyck's Scarlet	14	18
			Mutagen used		
			x-rays	14	18

	Issue	Page		Issue	Page
Breeding objectives			CSSR	14	18
flower colour	14	18	India	14	19
flower size	14	18			
Country			rye see <i>Secale cereale</i> L.		
The Netherlands	14	18	ryegrass see <i>Lolium perenne</i> L.		
<u>Ribes nigrum</u> L.	12	9			
<u>Ribes</u> sp.			S		
Mutant variety			<u>Saccharum officinarum</u> L.		
Westra	17	15	Mutant varieties		
Variety treated			Co 6608	12	17
Westwick Choice	17	15	Co 997	12	17
Mutagen used			Nanei	19	17
x-rays	17	15	Varieties treated		
Breeding objective			Co 449	12	17
strong erect habit	17	15	Co 997	12	17
Country			Ni 1	19	17
FRG	17	15	Other variety mentioned		
rice see <i>Oryza sativa</i> L.			NCo 310	19	17
<u>Ricinus communis</u> L.			Mutagens used		
Mutant varieties			gamma rays	12	17
Aruna	11	17	" "	19	17
RC - 8	16	18	Breeding objectives		
Sowbhagya	11	17	resistance to red rot	12	17
Varieties treated			tillering	19	17
Aruna	11	17	yield of cane and sugar	19	17
"	16	18	Countries		
"	18	8	India	12	17
HC - 6	11	17	Japan	19	17
RC 1188-54	16	18	safflower see <i>Carthamus tinctorius</i> L.		
Mutagen used			<u>Secale cereale</u> L.		
gamma rays	16	18	Variety treated		
" "	18	8	OD - 275	11	2
Breeding objectives			Mutagens used		
dwarf type	11	17	DES	11	2
growth period	16	18	EMS	11	2
higher TKW	16	18	Breeding objective		
long duration	11	17	amber white seed colour	11	3
non-shattering	11	17	Country		
oleic acid	18	8	India	11	3
type of growth	16	18	sesame see <i>Sesamum</i> sp.		
yield	16	18	<u>Sesamum</u> sp.		
Countries			Mutant variety		
Burma	18	8	Kalika (=BM 3-7)	17	14
India	11	17	"	18	11
"	16	18	Varieties treated		
"	18	18	Binayak	17	14
<u>Rosa</u> sp.	12	9	"	18	10
Mutant varieties			N-62-32	16	14
Angara	14	19	Mutagens used		
Flamingo Queen	17	21	EMS	17	14
Madhosh	14	19	"	18	10
Milena	14	18	gamma rays	16	14
September Wedding	14	18	Breeding objectives		
Varieties treated			compact branched type	17	14
Elisabeth rose	14	18	" " "	18	10
Guizar	14	19	number seeds per capsule	17	14
Montezuma	14	18,19	oil content	16	15
Queen Elizabeth	17	21	plant height	17	14
Mutagens used			"	18	10
EMS	14	19	yield	17	14
gamma rays	14	18	"	18	10
X-rays	17	21	Country		
Breeding objectives			India	16	15
flower colour	14	18,19	"	17	14
" "	17	21	"	18	11
Countries					
Canada	14	18			
"	17	21			

	Issue	Page
<u>Sorghum bicolor L.</u>		
Varieties treated		
B.P. 53	17	10
G.J. 108	17	10
NM - 31	13	15
Surat-1	17	10
TX-414	13	15
TZ	13	15
Mutagens used		
EMS	13	15
gamma rays	13	15
" "	17	9
Hydrazine	13	15
Countries		
India	17	10
USA	13	15
<u>Solanum khasianum Clarke</u>		
Mutant variety		
RRL - 20 - 2	13	21
Variety treated		
Dehradun local	13	21
Mutagen used		
gamma rays	13	21
Breeding objectives		
less spines	13	21
solasodine content	13	21
Country		
India	13	21
<u>Solanum melongena L.</u>		
Mutants mentioned		
SM - 4	20	8
SM - 5	20	8
SM - 7	20	8
SM - 12	20	9
SM - 14	20	9
SM - 16	20	9
SM - 17	20	9
SM - 18	20	9
SM - 20	20	9
SM - 21	20	9
SM - 22	20	9
Varieties treated		
Purple giant x S. melongena var. insanum	20	8
Breeding objective		
resistance to Pseudomonas solanacearum	20	8
Country		
India	20	9
<u>Solanum tuberosum L.</u>		
12	9	
soybean see Glycine max L.		
spinach see Spinacia oleracea L.		
<u>Spinacia oleracea L.</u>		
Mutant mentioned		
F 73/7	18	11
Variety treated		
Fruremona	18	11
Mutagen used		
EMS	18	11
Breeding objectives		
dry matter	18	11
iron content	18	11
leaf yield	18	11
oxalic acid content	18	12
vegetative phase	18	11
Country		
FRG	18	12

	Issue	Page
<u>Streptocarpus sp.</u>		
Mutant varieties		
Albatros	17	21
Burgund	14	19
Gloria Rot	14	19
Juwel	14	19
Margaret	17	21
Neptune Rosa	14	19
Nicky	16	21
Rosalinda	14	19
Weisse Glocke	14	19
Varieties treated		
Constant Nymph	17	21
Gloria Rosa	14	19
Helle Glocke	14	19
Juwel	14	19
Laura	14	19
Maassen's White	17	21
Neptun	14	19
"	16	21
Mutagens used		
colchicine	17	21
x-rays	14	19
"	16	21
"	17	21
Breeding objectives		
compact type	14	19
compact growth habit	16	21
flower colour	14	19
" "	16	19
" "	17	21
flowering during winter	17	21
shorter leaves	16	21
small leaves	14	19
sturdy flower stalk	17	21
white flowers	17	21
Countries		
FRG	14	19
"	16	21
The Netherlands	17	21
UK	17	21
sugarcane see Saccharum officinarum L.		
sunflower see Helianthus annuus L.		
sweet cherry see Prunus avium L.		
T		
tomato see Lycopersicon esculentum L. Mill.		
<u>Triticale L.</u>		
Varieties treated		
Beagle	13	11
DR - IRA	13	11
Mutagens used		
EMS	13	11
x-rays	13	11
Breeding objectives		
morphological characters	13	11
translocation lines	13	10
Countries		
Australia	13	11
Pakistan	13	11
<u>Triticum aestivum L.</u>		
Mutant varieties		
Altimir 67	16	3,17
Carolina	19	18
Claudia	16	17
Emai No. 6	19	2
Hankkijas Taava (Hja 12689)	13	19
IAS 63	19	18
Jauhar - 78 (= Mutant 115)	18	6,14

	Issue	Page		Issue	Page
Karlik 1	14	11	St 1472/506	19	19
Martonvasari 8 (=Mv-8)	16	4,17	TAP 48	19	18
Nanjing No. 3	19	19	Wichita	19	18
NI - 5643	19	18	11141 x 12040	18	15
Odesskaja 75	14	11	12040 x Aurora	18	15
Odesskaja Polukarlikovaja	14	11	Other varieties mentioned		
Payne	19	18	Atlas 66	11	11
Polukarlikovaya - 49	13	20	Aurifen	13	10
Shan Nong Radio 63	19	19	Bezostaya	12	2
Teewon Sib	19	18	Jauhar - 78	18	7
Yuan Chun No. 7111	18	15	Jubileinaya 50	16	4
Yuan Dong No. 772	18	15	Kite	13	10
Yuan Dong No. 7848	18	15	L 8156	13	10
Yuan Nong No. 53	18	14	Mairanela	13	10
Yuan Nong No. 60	18	15	Mexifen	13	10
Yuan Nong No. 61	18	14	Mexi Pak	16	17
Other mutants mentioned			" "	18	6,7
A - 216	17	8	Mo PA No. 66	18	15
Aurora M160/765	11	3	Nayab	18	7
" M327/1333	11	3	New thatch	19	18
Bezostaya M1/5362	11	3	Odesskaia 51	14	11
" M23/105	11	3	Pak 70	18	6,7
" 1 mutant	16	17	Pavon	18	7
Maribel	13	9	S - 60	13	10
S - 102	17	8	Skorospelka	16	17
S - 124	17	8	SNA - 1	13	10
UC-3	13	10	SNA - 2	13	10
"	16	4	Sturdy	19	18
UC-4	13	9,10	Toquifen	13	10
"	16	4	Triumph 64	19	18
UC-5	13	9	Yuang Nong No. 39 x Orefen	18	14
"	16	4	Mutagens used		
UC-6	13	9	EMS	19	5
"	16	4	fast neutrons	18	6,14
116R	13	10	gamma rays	11	3
116W	13	10	gamma rays	12	1
Mutant hybrids			" "	13	9,10,19
Mv 103	12	2	" "	16	3,4,17
Mv 104	12	2	" "	17	7,15
Mv 105	12	2	" "	18	14,15
Mv 106	12	2	" "	19	5,18,19
NIAB 603	13	6	hydroxylamine	17	7
Pel 19906-62	19	18	microwave	19	5
Pel 18102-62	19	18	NEH	13	20
Ranka III	16	17	NMH	14	11
ST7750	13	8	NMU	17	7
TW-1	11	11	radiation	19	18
Varieties treated			Breeding objectives		
Arjun two	17	7	grain colour	18	14,15
Aurora	11	3	" "	19	18
Bezostaya I	11	3	grain filling	19	19
"	12	1	disease resistance	12	19
"	13	20	" "	16	3,4
"	16	4,17	disease resistance -		
Bourgas 3	11	3	barley yellow dwarf virus	16	5
Collafen	19	19	disease resistance -		
F4 of You-bao x Ou rou	19	19	powdery mildew	19	18
IAS-20 - Jassul	19	18	disease resistance - rust	13	6
Jubilar	13	8	" "	16	5,7
Kalyan sona	11	11	" "	18	14,15
Kaukaz	11	3	" "	19	18
Mexipak	13	6	good photosynthetic		
"	16	3	ability	19	19
Nayab	18	6,14	good tillering	18	15
Nanda 2419	19	2	grain shedding	19	18
NI-284-S	19	18	maturity time	18	14,15
Pitic	13	10	" "	19	18
Ranka	12	1	nitrogen accumulation	11	11
"	16	4	plant height	12	1
Ranka III	16	17	protein content	11	3,11
Ruso	13	19	" "	13	9,6
Selection No. 7	19	5	" "	16	4
Skorespelka	16	3	" "	19	5,18
Sonalika	17	7			

	Issue	Page		Issue	Page
resistance to lodging	13	19	1211	13	5
" " "	14	11	Varieties treated		
" " "	16	4,17	Capelli	11	4
" " "	19	19	"	13	2,7
" " sprouting	13	19	"	16	18
semi-dwarf type	14	11	Garigliano	13	7
short culm	13	20	Grifoni	13	7
" "	16	17	Kharkovakaya 46	13	4
" "	18	14,15	YG - 3688	16	18
" "	19	19	"	18	15
" stature	13	6	Other varieties		
straw stiffness	12	1	Adur	13	2,20
strong straw	16	17	"	16	18
" "	19	19	Lakota	13	7
translocation	13	10	Pandur	13	7
yield	12	1	Valdur	13	7
"	13	19	788	20	18
"	14	11	Mutagens used		
"	16	3,4	DES	14	2
"	18	14,15	EI	14	2
"	19	2,18,19	fast neutrons	13	7
Countries			" "	14	2
Australia	13	11	gamma rays	14	2
Austria	11	11	neutrons	16	18
Bulgaria	16	3,17	thermal neutrons	13	7
Brazil	19	18	" "	18	15
Chile	16	4	x - rays	13	7
"	19	18	Breeding objectives		
China, P.R. of	18	14,15	earlier ripening	13	4
"	19	2,6	grain quality	18	15
"	19	19	" "	20	18
CSSR	13	8	high TWK	16	18
Finland	13	19	homoeologous - pairing	11	4
Hungary	12	1	resistance to lodging	13	6,20
"	16	4,17	" " "	16	18
India	17	8	" " "	18	15
"	19	18	" " "	20	18
Italy	16	17	short culm	13	6
Pakistan	13	11	" "	16	18
Pakistan	18	7,14	" "	18	15
USA	19	18	yield	13	4,6,20
USSR	11	3	"	16	18
"	13	20	y "	20	18
"	14	11	Countries		
<u>Triticum turgidum ssp. durum Desf.</u>			Austria	13	2,20
Mutant varieties			"	16	18
Attila	16	18	Bulgaria	14	2
Augusto	13	6	"	20	18
Casteldelmonete	13	6,7	Greece	16	18
Castelfusano	13	6,7	"	18	15
Castelguvo	13	6,7	Italy	11	5
Castelporziano	13	2,6,7	"	13	6
"	16	18	USSR	13	5
"	20	18	tuberose see <i>Polygonum tuberosum</i> L.		
Creso	13	6,7	<u>Tulipa sp.</u>	12	9
G - 0367	16	18	Mutant varieties		
"	18	15	Estella Rijnveld	17	21
Grandur	16	18	Faraday	17	21
Lozen 76	20	18	Varieties treated		
Mida	13	6,7	Fantasy	17	21
Probstdorfer Miradur - P20	13	2,20	Red Champion	17	21
Tito	13	6,7	Mutagen used		
Other mutants mentioned			x - rays	17	21
CpB 132	13	2,20	Breeding objective		
CpB 144	13	7	flower colour	17	21
M-H/192	14	2	Country		
M- 5753/220	13	2	The Netherlands	17	21
M- 5782/176	13	2			
M- 4575/187	13	2			
M- 6322/225	13	2			
142	13	5			
745	13	5			
969	13	5			

V

	Issue	Page
<u>Vicia faba L.</u>	19	8
Varieties treated		
Giza - 2	13	13
Rebaya - 40	13	13
Wieselburger	14	6
"	17	12
Mutants mentioned		
G2 - E1	13	13
G2 - E2	13	13
G2 - R1-E1	13	13
G2 - R2-E2	13	13
R40 - E1	13	13
R40 - E2	13	13
R40 - E3	13	13
Mutagens used		
EMS	13	13
"	14	6
fast neutrons	14	6
gamma rays	13	13
" "	14	6
Breeding objective		
nitrogen fixation	17	11
Countries		
Austria	14	8
"	17	11
Egypt	13	13
<u>Vigna radiata L.</u> (Phaseolus aureus Roxb.)		
Varieties treated		
K-851	20	13
ML-5	20	13
Pak 13	13	14
Pak 17	13	14
S - 8	16	14
T - 44	18	5
6601	13	14
Other mutants mentioned		
NIAB 28	13	14
TP - 6	16	14
TP - 7	16	14
605	13	14
1038	13	14
4048	13	14
Other varieties mentioned		
Kopergaon	16	14
Punjabrao Krishi	16	14
Vidyapeeth		
Mutagens used		
EMS	20	13
fast neutrons	16	14
gamma rays	13	14
" "	16	14
" "	18	5
" "	20	13
Breeding objectives		
fasciation of branches	18	5
yield	16	20
"	20	13
Countries		
India	16	14
"	18	5
"	20	13
Pakistan	13	14
<u>Vitis vinifera L.</u>		
Varieties treated		
Bastardo	19	7
Fernaõ Pires	19	8
Verdelho roxo	19	6,8
Vital	19	8

	Issue	Page
Other varieties		
Azal branco	19	7
Boal	19	7
Jaen	19	7
Malvasia Candida	19	7
Sercial	19	7
Mutagen used		
gamma rays	19	6,7
Breeding objective		
Plasmopara viticola		
resistance	19	6
Country		
Portugal	19	8

W

walnut see Juglans regia L.
wheat see Triticum aestivum L.

Z

	Issue	Page
<u>Zea mays Mill.</u>		
Mutant varieties		
CE 200	17	14
CE 268	17	14
CE 330	17	15
Lu-yuandan No. 4		
(SC Hybrid)	19	2
Lu-Yuan SC No. 4	19	19
Lu-Yuan Wu No. 2	19	19
Yuan 74-751	18	18
Yuan 79-171	18	18
Yuan 79-418	18	18
Yuan Wu No. 2	19	19
Yuanwu 02	19	2
79-171 x 79-418	18	18
Other mutants mentioned		
Ph-249	12	4
Pr-169	12	4
Wh-661	12	4
Wh-669	12	4
Varieties treated		
A96 x Da Qui 36 x B64	18	18
Kung No. 70	18	18
Tang Szu Pin Tou		
x Ye No. 2	18	18
Wu Sc Early	19	19
Yuan Lien No. 5	18	18
Other variety mentioned		
Wei Feng	19	19
Mutagens used		
fast neutrons	18	18
gamma rays	17	14,15
" "	18	18
" "	19	19
microwave	18	18
Breeding objectives		
combining ability	18	18
""	19	2
disease resistance	12	4
disease resistance -		
leaf spot	18	18
" " "	19	2,19
disease resistance -		
mosaic dwarf virus	12	4
disease resistance - stock	17	14
disease resistance -		
Ustilago zeae	14	4
drought resistance	19	19
erect leaf	18	18
growth period	18	18
Helminthosporium turcicum	12	4
lodging resistance	19	19
maturity time	19	19
" "	17	14

	Issue	Page		Issue	Page
plant height	19	19	yield	17	14,15
plant type	18	18	"	19	19
short stalk	17	15	Countries		
"	18	18	Bulgaria	12	4
stalk quality	17	14,15	China, P. R. of	18	18
water lodging resistance	19	19	"	19	19
			CSSR	17	14,15

AUTHOR INDEX

Name	Issue	Page	Name	Issue	Page
A					
Abbott, D.C.	19	18	de Bruyn Jr., S.	15	16
Abdalla, M.M.F.	13	14	Burton, G.W.	11	2
Abraham, V.	11	10	"	18	10
"	14	12	"	19	14
"	20	18,19	C		
Adam, J.	16	18	Campbell, A.I.	17	5
Ahloowalia, B.S.	11	4	Carnahan, H.L.	13	19
Ahmed, Z.U.	16	3	"	15	6,12,13
Ahn, S.W.	19	13	"	18	16
Akator, S.K.	19	13	"	19	16
Akbar, M.	11	6	Cerny, J.	13	9
"	13	13	Chattopadhyay, S.	20	6
Albrechtsen, R.S.	11	17	Chaudhry, M.B.	20	12
Ancora, G.	16	9,10	Cheema, A.A.	13	13
Andrews, D.J.	20	3	Chombhubol, M.	13	19
Angelov, A.	18	19	Choudhary, D.K.	15	9
Arnaudova, T.	18	19	Coffman, W.R.	18	3
Araín, M.A.	18	7	Collins, F.C.	14	10
Ashri, A.	15	9	Corte, G.	19	8
"	19	1	Coutinho, M.P.	19	8
Aslam, M.	20	12			
Awan, M.A.	13	13	D		
B			Damborsky, F.	17	14,15
Bedaya, S.N.	17	10	Daskalov, S.	12	16
Bagnara, D.	13	7	"	16	6,19
Bahl, J.R.	20	13	"	20	16
Balyan, H.S.	18	6	Datta, S.K.	16	20
Balandreau, J.	16	12	"	17	19
"	20	5	Davies, D.R.	17	21
Bandesha, A.A.	20	12	Debeliy, G.A.	12	15
Basak, S.L.	20	6	Debnath, A.R.	18	17
Basu, A.K.	16	19	Decourtye, A.	17	15,19,20
Bauer, R.	17	15	Della, A.	13	11
Benabaad, T.F.	14	11	Desai, B.M.	11	10
Bezhanidze, O.I.	12	15	"	14	12
Bhuiya, A.D.	12	16	"	17	10,20
"	16	3	"	20	18,19
Bischoff-Tulleken, A.J.	17	20	Dewey, W.G.	11	17
Blazek, J.	15	7	Diallo Bu, D.	19	13
Board, J.E.	20	8	Disouki, I.A.	17	14
Bozzini, A.	13	7	Domkar, K.	14	11
Brandon, D.M.	15	6,13	Donini, B.	11	9
Broertjes, C.	12	9	"	13	6
"	17	15,16,21	"	16	10
Brown, P.D.	20	11	"	19	3
Brunner, H.	14	8	Donnelly, E.D.	16	19
"	17	11	Driscoll, C.J.	13	11
Brunori, A.	11	11	E		
			Erinyak, N.I.	14	11

	Name	Issue	Page		Name	Issue	Page	
F	Fedchenko, V.P.	14	11	K	Jugran, H.M.	16	21	
	Filev, K.	18	19		Gupta, P.K.	18	6	
	"	20	18		Karve, A.D.	18	8	
	Fleischle, G.	14	19		Kaul, A.K.	12	7	
	"	16	21		"	16	3	
	Frogner, S.	12	14		Kaul, B.L.	13	21	
	Fuji, K.	11	16		"	15	19	
Futsuhara, Y.	18	4	Kavacs, G.		14	5		
G	Gadgil, J.D.	20	7		Kenaschuk, E.O.	18	17	
	Giorgi, B.	11	5		Keyama, T.H.	11	16	
	Gladstones, J.S.	12	14		Khambanonda, P.	13	19	
	"	20	17		"	18	16	
	Gopimony, R.	20	9		Khamankar, K.G.	17	8	
	Gorastev, Ch.	14	10		Khan, S.I.	20	12	
	Grant, W.F.	14	4		Kharkwal, M.C.	20	15	
	Grillard, M.	18	15,16		Kielpinski, M.	15	13	
	Gupta, M.N.	15	14,5		Kim, J.R.	12	8	
	"	16	20,21		Kitano, H.	18	4	
	"	17	19		Kivi, E.I.	13	19	
	Gupta, P.K.	18	6	Kloutvor, J.	15	7		
	"	20	13	Kopecky, O.	17	14,15		
H	Haahr, V.	13	18	Korlub, K.	15	13		
	Habi Bullah, A.K.M.	19	10	Kotvics, G.	18	12		
	Hadjichristodoulou, A.	13	11	Kubaneck, J.	13	8		
	Haq, M.A.	11	8	Kulik, M.I.	19	15		
	"	13	14	Kulkarni, L.G.	11	17		
	"	17	6	Kumar, A.	20	3		
	Haq, M.S.	12	16,17	Kumar, S.	18	6		
	"	19	1	Kuwada, H.	12	17		
	"	20	18	Kwon, S.H.	11	17		
	Hassen, M.	13	8	"	12	8		
	Handke, S.	18	12	L	Labana, K.S.	17	13	
	Hanis, M.	13	8		Lacey, C.N.D.	17	5	
	Hanna, W.W.	11	2		Lantin, B.	17	15,19,20	
	"	20	20		Lapins, K.O.	17	15	
	Hänsel, H.	13	4,20		Lazarov, N.	14	10	
	"	16	18		de Loose, R.	17	20	
	Hata, T.	15	12		Lucky, M.	17	15	
	Heifets, A.M.	14	11		Lucretti, S.	16	9	
	Heyting, J.	14	18		Lyfenko, S.F.	14	11	
	Hiraiwa, S.	15	10		M	Mahadevappa, M.	18	3
Hirano, T.	11	16	Mahmud-ul-Hassan	17		6		
Hoek, L.A.	14	12	Majid, M.A.	16		3		
Hofstede, W.J.	17	19	"	19		11		
Hovinen, S.	13	19	Mandal, B.B.	19		12		
Hussein, H.A.S.	13	14	Mannino, P.	19		3		
"	17	14	Marie, R.	18		3,15,16		
I	Ignaczak, J.	19	18	McKenzie, R.I.H.		20	11	
	Ikeda, M.	19	17	Mersinkov, W.		14	10	
	Ikehashi, H.	18	3	Mia, M.M.		12	16	
	Im, K.H.	11	17	"		16	3	
	Ismachin, M.	15	7	"		19	10	
	J	Jafri, K.A.	18	7		Mikaelsen, K.	20	11
		Jain, H.K.	16	18		Mikkelsens Inc.	17	17,18,19
Jaranoski, J.K.		11	7	Mikolajczyk, J.		15	13	
"		15	13	"		18	17	
"		18	17	"		19	15	
"		19	9	Milkova, L.		12	16	
Johnson, C.W.		13	9	"		20	16	
"		15	12	Minarik, F.	14	11		
"		18	16	Mingwei, G.	17	9		
"		19	16	Minton, N.A.	16	19		
Jones, J.P.		14	10	Misra, R.N.	14	3		
Joseph, J.		18	19	Mitra, R.	20	7		
Joshua, D.C.		12	5	Mohanty, H.K.	11	5		
"		16	7,14	Mohapatra, K.C.	17	14		
				Molner, J.M.	12	17		
				de Mol van Oud Loosdrecht, W.E.	17	21		
			Monti, L.M.	19	17			

	Name	Issue	Page		Name	Issue	Page
	Mosconi, C.	13	7				
	Murray, M.J.	11	18				
	Murthy, G.S.S.	16	15	S	Saccardo, F.	16	9
	Murty, B.R.	11	18		"	19	17
	Muszynski, S.	15	10		Sadiq, J.	11	8
	Myint, T.	12	17		"	13	8,14
	"	16	14		"	17	6
	"	20	16,18		Sakai, T.	15	12
N	Nagui, S.H.M.	11	6		Saleem, M.	13	8
	Nair, N.K.	20	9		Santos, I.S.	18	5
	Nair, V.G.	15	9		Sarigabutr, A.	13	19
	"	20	9		Sarma, N.P.	19	12
	Nanda, A.K.	14	3		Sarwar, G.	13	14
	Navustanov, S.	14	10		Sasek, A.	13	8
	Nayer, G.G.	11	9		Sato, H.	11	17
	Nazirov, N.N.	14	1		"	15	2
	Nebrada, I.M.	13	9		Satory, M.	16	13
	"	16	5		Savoy, P.	14	3
	"	19	18		"	16	3,17
	Nettevich, E.D.	12	14		Scarascia-Mugnozza, G.T.	13	7
	Nicolae, F.	14	11		Sebesta, E.E.	19	18
	Nicolae, I.	14	5,11		Sechler, D.	14	10
	Noorsyamsi, H.	18	3		Seetharam, A.	14	2
	Notteghem, J.L.	19	13		Seguy, J.L.	18	15,16
O	Oh, J.H.	12	8		Seha, C.S.	12	16
	Olimpienko, G.S.	13	15		Sen, S.	18	17,19
	Ougouag, B.	14	11		"	20	4
P	Panda, B.S.	17	14		Sen, S.N.	20	17
	"	18	11		Sergeev, A.	12	14
	Pandeya, R.S.	19	5,16		Shaikh, M.A.Q.	12	16
	Panwar, R.S.	16	6,18,19		"	16	3
	Papstein, F.	15	7		"	19	10,11,14
	Parodi, P.C.	13	9		Shakoor, A.	11	6,8
	"	16	5		"	13	8,14
	"	19	18		"	17	6
	Pass, H.	19	18		Sharma, B.	15	13
	Patil, N.M.	14	2		Sharma, R.P.	14	2
	Patil, S.H.	12	15		"	19	15
	Pawar, S.E.	16	14		"	20	11
	Pedzinski, M.	15	13		Shchepotev et al	15	17
	Peikow, E.	19	15		Shephard, K.W.	13	11
	Peixoto Gomes E.	19	18		Shevtsov, V.M.	20	17
	Peterson, M.L.	15	6,13		Shkvarnikov, P.K.	13	5
	"	20	8		"	19	15
	Podder, A.K.	19	10		Shukla, R.	15	14,15
	Poehlman, J.M.	14	10		"	16	21
	Pokhriyal, S.C.	11	18		Siddiqui, K.A.	18	7,14
	Popov, A.	12	4		Simon, J.	15	16
	Porreca, G.	13	7		Sindagi, S.S.	16	18
	Povilaitis, B.	19	4,16		Singh, D.P.	18	5
Q	Qiujie, D.	19	6		Sisoda, N.S.	11	3
	Qiuying, Z.	19	6		Skorda, E.A.	18	15
	Quadrir, M.M.	19	10		Smith, E.L.	19	18
R	Rahman, L.	12	7		Song, H.S.	12	8
	Rajput, M.A.	13	11		Sozinov, A.A.	14	11
	Ramakanth, R.S.	14	2		Sreenivasan, K.V.	12	17
	Rao, J.T.	12	17		van Staaveren, M.C.	14	12
	Rao, M.R.	16	18		"	17	16,17
	Rao, N.S.	12	5		Stephanov, T.	14	10
	Rao, T.S.	16	18		Sterling, J.D.E.	11	17
	Raut, R.N.	16	6,18,19		Stoilov, M.	12	4
	Reddy, C.S.	13	15		Strykala, H.	18	17
	Roselli, G.	19	3,17		Styczynska, J.	15	13
	Rossi, L.	13	6,7		Sutar, R.S.	14	2
	Rutger, J.N.	15	6,13		Swiecicki, W.K.	17	10
					Szalay, D.	16	17
					Szilagyi, G.Y.	12	4
					"	16	4,17
T					Tanaka, S.	15	10
					Tara Mohan, S.	16	16
					Tanki, M.I.	17	14
					Tashmatov, N.T.	14	1
					Tedoradze, S.G.	19	14

	Name	Issue	Page		Name	Issue	Page
	Thakare, R.G.	12	5				
	"	16	7,14				
	Therrien, M.C.	14	4				
	Titov, A.F.	13	15				
	Tiwari, S.P.	11	3				
	Toda, M.	15	12				
	Todd, A.M.	11	18				
	Tseng, S.T.	13	19				
	"	15	12				
	"	18	16				
	"	19	16				
U	Uchiyama, H.	17	13				
	Uno, S.	15	13				
V	Vadher, P.V.	17	10				
	Vakhabov, A.	14	1				
	Velikovskiy, V.	15	8				
	Vitale, P.	19	17				
	Vondracek, J.	15	7				
				W	von Wettstein, D.	13	18
					Wengin, N.	19	6
					White, F.H.	19	5,16
					Win, K.	12	17
					Won, J.R.	12	8
					Wulfinghoff, A.	17	17
				X	Xueyu, L.	19	6
				Y	Yamaguchi, H.	11	17
					Yanev, S.H.	14	3
					Young, H.C.	19	18
					Yuqi, N.	19	6
				Z	Zapata, F.	17	11
					Zu, G.	19	2

Mutation Breeding Newsletter
 Joint FAO/IAEA Division of Isotope and Radiation Applications
 of Atomic Energy for Food and Agricultural Development

International Atomic Energy Agency
 Vienna International Centre
 P.O. Box 100
 A-1400 Vienna, Austria

Printed by the IAEA in Vienna
 January 1984